


## Replacement die - CRIMPFOX-C120 AI 70/F-DIE - 1212338

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Die (lower part), for CRIMPFOX-C120, for ferrules (DIN 46228) 70 mm<sup>2</sup>, trapeze crimp

### Key Commercial Data

Packing unit	1 pc
GTIN	 4 046356 454841
GTIN	4046356454841
Weight per Piece (excluding packing)	120.000 g
Custom tariff number	82079091
Country of origin	Germany

### Technical data

#### General

Color	black
Compression	universal
Type of contact	Ferrules
Max. cross section	70 mm <sup>2</sup>
Crimping width	26.00 mm
Min. cross section	70 mm <sup>2</sup>
Max. cross section	70 mm <sup>2</sup>

### Classifications

#### eCl@ss

eCl@ss 10.0.1	21019290
eCl@ss 4.0	21040300
eCl@ss 4.1	21040300

# Replacement die - CRIMPFOX-C120 AI 70/F-DIE - 1212338

## Classifications

### eCl@ss

eCl@ss 5.0	21040300
eCl@ss 5.1	21040300
eCl@ss 6.0	21043800
eCl@ss 7.0	21043811
eCl@ss 8.0	21043811
eCl@ss 9.0	21019290

### ETIM

ETIM 2.0	EC001186
ETIM 3.0	EC001186
ETIM 4.0	EC001282
ETIM 5.0	EC001282
ETIM 6.0	EC001282
ETIM 7.0	EC001282

### UNSPSC

UNSPSC 6.01	27112118
UNSPSC 7.0901	27111518
UNSPSC 11	23171604
UNSPSC 12.01	27111518
UNSPSC 13.2	27111518
UNSPSC 19.0	27111518

## Approvals

### Approvals

---

Approvals


EAC

---

Ex Approvals

---

### Approval details

EAC		RU x- DE.xx08.B.02974
-----	---	--------------------------

