

Tool - UNIFOX-F VDE - 1212363

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Flat-nose pliers, finely notched grip area, VDE 1000 V AC/1500 V DC tested

Your advantages

- Notched grip areas
- Ergonomic handle design to eliminate fatigue when working
- Excellent transformation ratios for optimum gripping performance
- Forged die hardened in oil for maximum durability
- UNIFOX ... VDE-insulated flat-nose, round-nose, and water pump pliers

Key Commercial Data

| | |
|--------------------------------------|---|
| Packing unit | 1 pc |
| GTIN |  4 046356 455671 |
| GTIN | 4046356455671 |
| Weight per Piece (excluding packing) | 180.000 g |
| Custom tariff number | 82032000 |
| Country of origin | Germany |

Technical data

Dimensions

| | |
|------------|--------|
| Length (b) | 160 mm |
|------------|--------|

General

| | |
|---------------|----------------------------------|
| Color | black |
| Test standard | DIN EN 60900 (VDE 0682 PART 201) |
| | DIN ISO 5745 |
| Weight | 185 g |

Standards and Regulations

| | |
|---------------|----------------------------------|
| Test standard | DIN EN 60900 (VDE 0682 PART 201) |
|---------------|----------------------------------|

Tool - UNIFOX-F VDE - 1212363

Technical data

Standards and Regulations

| | |
|--|--------------|
| | DIN ISO 5745 |
|--|--------------|

Environmental Product Compliance

| | |
|---------------------------|---|
| California Proposition 65 | Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration |
|---------------------------|---|

Classifications

eCl@ss

| | |
|---------------|----------|
| eCl@ss 10.0.1 | 21043817 |
| eCl@ss 4.0 | 21040300 |
| eCl@ss 4.1 | 21040300 |
| eCl@ss 5.0 | 21040300 |
| eCl@ss 5.1 | 21040300 |
| eCl@ss 6.0 | 21043800 |
| eCl@ss 7.0 | 21043817 |
| eCl@ss 8.0 | 21043817 |
| eCl@ss 9.0 | 21043817 |

ETIM

| | |
|----------|----------|
| ETIM 2.0 | EC000142 |
| ETIM 3.0 | EC000142 |
| ETIM 4.0 | EC000833 |
| ETIM 5.0 | EC000833 |
| ETIM 6.0 | EC000833 |
| ETIM 7.0 | EC000833 |

UNSPSC

| | |
|---------------|----------|
| UNSPSC 6.01 | 23171604 |
| UNSPSC 7.0901 | 23171604 |
| UNSPSC 11 | 23171604 |
| UNSPSC 12.01 | 23171604 |
| UNSPSC 13.2 | 27112126 |
| UNSPSC 18.0 | 27112126 |
| UNSPSC 19.0 | 27112126 |
| UNSPSC 20.0 | 27112126 |
| UNSPSC 21.0 | 27112126 |

Tool - UNIFOX-F VDE - 1212363

Approvals


Approvals


Approvals

EAC / VDE Zeichengenehmigung

Ex Approvals

Approval details

| | | |
|-----|---|--------------------------|
| EAC |  | RU x- DE.xx08.B.02974 |
|-----|---|--------------------------|

| | | | |
|------------------------|--|--|----------|
| VDE Zeichengenehmigung |  | http://www2.vde.com/de/Institut/Online-Service/ VDE-gepruefteProdukte/Seiten/Online-Suche.aspx | 40049137 |
|------------------------|--|--|----------|
