

Stripping tool - WIREFOX-D SR 6-1 - 1212511

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Stripping tool, for standard 2.5, 4, and 6 mm² solar cables, with 15 mm length stop, for SUNCLIX field connectors

Your advantages

- ✓ Large selection of precision stripping tools
- ✓ The right tool for every application

Key Commercial Data

Packing unit	1 pc
GTIN	 4 046356 585170
GTIN	4046356585170
Weight per Piece (excluding packing)	51.000 g
Custom tariff number	82032000
Country of origin	Sweden

Technical data

Dimensions

Length (b)	83 mm
Width (a)	22 mm
Height (c)	43 mm
Cable diameter	1.9 mm ... 2.9 mm
Stripping length	8.5 mm

General

Color	black
Weight	21 g
Min. cross section	0.75 mm ²
Max. cross section	1.5 mm ²
AWG min	14

Stripping tool - WIREFOX-D SR 6-1 - 1212511

Technical data

General

AWG max	10
---------	----

Environmental Product Compliance

California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration
---------------------------	---------------------------------------------------------------------------------------------------------------

Classifications

eCl@ss

eCl@ss 10.0.1	21043706
eCl@ss 4.0	21040300
eCl@ss 4.1	21040300
eCl@ss 5.0	21040300
eCl@ss 5.1	21040300
eCl@ss 6.0	21043700
eCl@ss 7.0	21043706
eCl@ss 8.0	21043706
eCl@ss 9.0	21043706

ETIM

ETIM 4.0	EC000165
ETIM 5.0	EC000163
ETIM 6.0	EC002109
ETIM 7.0	EC002109

UNSPSC

UNSPSC 6.01	30211811
UNSPSC 7.0901	39121410
UNSPSC 11	39121410
UNSPSC 12.01	39121410
UNSPSC 13.2	27111518
UNSPSC 18.0	27111510
UNSPSC 19.0	27111510
UNSPSC 20.0	27111510
UNSPSC 21.0	27111510

Approvals

Approvals

Stripping tool - WIREFOX-D SR 6-1 - 1212511


Approvals

Approvals

EAC

Ex Approvals

Approval details

EAC		RU x- DE.xx08.B.02974
-----	-----------------------------------------------------------------------------------	--------------------------
