

Cable-cutting tool - CUTFOX 50 STEEL - 1212526

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Ring cable cutter, with ratchet function, for copper and aluminum up to 50 mm Ø, for steel-armored CU/AL cables, for stranded steel cables up to 12 mm in diameter

Your advantages

- ✓ With ratchet function for minimum effort
- ✓ CUTFOX ... one-handed ring cable cutters for professional cutting results
- ✓ Superb cutting quality
- ✓ Unlockable

Key Commercial Data

Packing unit	1 pc
GTIN	 4 046356 589543
GTIN	4046356589543
Weight per Piece (excluding packing)	1,380.000 g
Custom tariff number	82034000
Country of origin	Germany

Technical data

Dimensions

Length (b)	260 mm
Width (a)	110 mm

General

Color	black
Weight	950 g
Min. cross section	50 mm ²
Max. cross section	500 mm ²

Environmental Product Compliance

Cable-cutting tool - CUTFOX 50 STEEL - 1212526

Technical data

Environmental Product Compliance

California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration
---------------------------	---

Classifications

eCl@ss

eCl@ss 10.0.1	21044701
eCl@ss 4.0	21040300
eCl@ss 4.1	21040300
eCl@ss 5.0	21040300
eCl@ss 5.1	21040300
eCl@ss 6.0	21049000
eCl@ss 7.0	21044701
eCl@ss 8.0	21044701
eCl@ss 9.0	21044701

ETIM

ETIM 4.0	EC000142
ETIM 5.0	EC000142
ETIM 6.0	EC000142
ETIM 7.0	EC000142

UNSPSC

UNSPSC 6.01	23171604
UNSPSC 7.0901	23171604
UNSPSC 11	23171604
UNSPSC 12.01	23171604
UNSPSC 13.2	27111506
UNSPSC 18.0	27111506
UNSPSC 19.0	27111506
UNSPSC 20.0	27111506
UNSPSC 21.0	27111506

Approvals

Approvals

Cable-cutting tool - CUTFOX 50 STEEL - 1212526

Approvals

Approvals

EAC

Ex Approvals

Approval details

EAC



RU x-
DE.xx08.B.02974

Accessories

Accessories

Mounting material

Accessories - CUTFOX 50 STEEL/SB - 1200291



Spare knife
