

## Screw insert - SF-BIT-TX 15-50 - 1212576

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Screw bit, Torx®, E6.3-1/4" drive, size: TX 15 x 50 mm, hardened, suitable for holder according to DIN 3126-F6.3/ISO 1173

### Your advantages

- ✓ Tools for SF-ASD 21 cordless screwdriver in various versions

### Key Commercial Data

Packing unit	1 pc
Minimum order quantity	5 pc
GTIN	 4 046356 590112
GTIN	4046356590112
Weight per Piece (excluding packing)	8.000 g
Custom tariff number	82079030
Country of origin	Czech Republic

### Technical data

#### Dimensions

Length (b)	50 mm
Blade height	50 mm

#### General

Color	silver
Type	Torx
Material	alloyed tool steel
Test standard	DIN 3126

#### Standards and Regulations

Test standard	DIN 3126
---------------	----------

#### Environmental Product Compliance

## Screw insert - SF-BIT-TX 15-50 - 1212576

### Technical data

### Environmental Product Compliance

California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration
---------------------------	---

### Drawings

Pictogram



## Screw insert - SF-BIT-TX 15-50 - 1212576

### Classifications

#### eCl@ss

eCl@ss 10.0.1	21044290
eCl@ss 4.0	21040400
eCl@ss 4.1	21040400
eCl@ss 5.0	21040400
eCl@ss 5.1	21040400
eCl@ss 6.0	21049200
eCl@ss 7.0	21044290
eCl@ss 8.0	21044202
eCl@ss 9.0	21044290

#### ETIM

ETIM 4.0	EC002117
ETIM 5.0	EC002117
ETIM 6.0	EC002117
ETIM 7.0	EC002117

#### UNSPSC

UNSPSC 6.01	27111701
UNSPSC 7.0901	27111701
UNSPSC 11	27111701
UNSPSC 12.01	27111701
UNSPSC 13.2	27111701
UNSPSC 18.0	27111701
UNSPSC 19.0	27111701
UNSPSC 20.0	27111701
UNSPSC 21.0	27111701

### Approvals

#### Approvals

---

Approvals

EAC

---

Ex Approvals

---

## Screw insert - SF-BIT-TX 15-50 - 1212576

### Approvals

#### Approval details

EAC		RU C- DE.AI30.B.01750
-----	---	--------------------------