

## Crimping pliers - CRIMPFOX-DSUB 5-1 - 1212711

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Crimping pliers, for rolled D-SUB contacts, standard, 0.05 mm<sup>2</sup> - 0.5 mm<sup>2</sup>, incl. contact locator

The figure shows a version of the article

### Your advantages

- Crimping pliers for processing D-SUB contacts
- Unlockable pressure lock
- Lateral conductor entry

### Key Commercial Data

Packing unit	1
GTIN	 4 046356 857604
GTIN	4046356857604
Custom tariff number	82032000

### Technical data

#### Dimensions

Length (b)	198 mm
Width (a)	18 mm
Height (c)	59 mm

#### General

Color	black
Compression	B crimp
Type of contact	D-SUB
Weight	357 g
Min. cross section	0.08 mm <sup>2</sup>
Max. cross section	5 mm <sup>2</sup>

# Crimping pliers - CRIMPFOX-DSUB 5-1 - 1212711

## Technical data

### Environmental Product Compliance

California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration
---------------------------	---

## Classifications

### eCl@ss

eCl@ss 10.0.1	21043811
eCl@ss 4.0	21040300
eCl@ss 4.1	21040300
eCl@ss 5.0	21040300
eCl@ss 5.1	21040300
eCl@ss 6.0	21043800
eCl@ss 7.0	21043811
eCl@ss 8.0	21043811
eCl@ss 9.0	21043811

### ETIM

ETIM 3.0	EC001186
ETIM 4.0	EC000168
ETIM 5.0	EC000168
ETIM 6.0	EC000168
ETIM 7.0	EC000168

### UNSPSC

UNSPSC 6.01	27112118
UNSPSC 7.0901	27111518
UNSPSC 11	23171604
UNSPSC 12.01	27111518
UNSPSC 13.2	27111518
UNSPSC 18.0	27111518
UNSPSC 19.0	27111518
UNSPSC 20.0	27111518
UNSPSC 21.0	27111518

## Approvals

### Approvals

## Crimping pliers - CRIMPFOX-DSUB 5-1 - 1212711

### Approvals

Approvals


EAC

---

Ex Approvals

---

### Approval details

EAC		RU x- DE.xx08.B.02974
-----	---	--------------------------

---