

Crimping pliers - CRIMPFOX 6S-F CUS - 1212769

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Crimping pliers, laser marked according to customer specifications, for ferrules according to DIN 46228 Parts 1+4, 0.5 mm² ... 6 mm², front insertion, square crimp

The figure shows CRIMPFOX 6 CUS

Your advantages

- Mall ferrules can be optimally crimped with a minimum amount of effort even in the case of large conductor cross sections
- Marked die stations for precise processing of corresponding cross sections
- Unlockable pressure lock



Key Commercial Data

Packing unit	1
GTIN	4 046356 942966
GTIN	4046356942966
Custom tariff number	82032000

Technical data

Dimensions

Length (b)	198 mm
Width (a)	18 mm
Height (c)	59 mm

General

Color	black
Compression	Square crimp
Type of contact	Ferrules
Weight	376 g



Crimping pliers - CRIMPFOX 6S-F CUS - 1212769

Technical data

General

Min. cross section	0.5 mm²
Max. cross section	6 mm ²
AWG min	20
AWG max	10

Environmental Product Compliance

California Proposition 65	Further information on California's prop. 65 is available under "Downloads"
California Proposition 65	in the manufacturer's declaration

Drawings

Product drawing

Classifications

eCl@ss

eCl@ss 10.0.1	21043811
eCl@ss 4.0	21040300
eCl@ss 4.1	21040300
eCl@ss 5.0	21040300
eCl@ss 5.1	21040300
eCl@ss 6.0	21049000
eCl@ss 7.0	21049090
eCl@ss 8.0	21049090
eCl@ss 9.0	21043811

ETIM

ETIM 2.0	EC001186
ETIM 3.0	EC001186
ETIM 4.0	EC001186



Crimping pliers - CRIMPFOX 6S-F CUS - 1212769

Classifications

ETIM

ETIM 5.0	EC000168
ETIM 6.0	EC000168
ETIM 7.0	EC000168

UNSPSC

UNSPSC 13.2	27111518
UNSPSC 18.0	27111518
UNSPSC 19.0	27111518
UNSPSC 20.0	27111518
UNSPSC 21.0	27111518

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approval details

EAC

EHE

RU x-DE.xx08.B.02974

Accessories

Accessories

Mounting material

Replacement spring - CRIMPFOX/ SPR-3 - 1212036



Spare recuperating spring



Phoenix Contact 2020 © - all rights reserved http://www.phoenixcontact.com