

## Crimping pliers - CRIMPFOX-RCI 6 CUS - 1212774

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Crimping pliers, laser marked according to customer specifications, for insulated cable lugs, 0.5 mm<sup>2</sup> ... 6.0 mm<sup>2</sup> (red, blue, yellow), oval crimp, symmetrical

### Your advantages

- ✓ CRIMPFOX-RCI 6 /... represent the top end of the range for cable lug crimping pliers
- ✓ Precision-manufactured dies ensure consistently high levels of quality during contact processing



### Key Commercial Data

|                      |   |
|----------------------|---|
| Packing unit         | 1   |
| GTIN                 | <br>4 046356 943017 |
| GTIN                 | 4046356943017   |
| Custom tariff number | 82032000  |

### Technical data

#### Dimensions

|            |        |
|------------|--------|
| Length (b) | 256 mm |
| Width (a)  | 25 mm  |
| Height (c) | 68 mm  |

#### General

|                    |                      |
|--------------------|----------------------|
| Color              | black                |
| Compression        | Oval crimp           |
| Type of contact    | Insulated cable lugs |
| Designation        | Crimping position 1  |
| Min. cross section | 0.5 mm <sup>2</sup>  |
| Max. cross section | 1.5 mm <sup>2</sup>  |
| AWG min            | 20                   |

# Crimping pliers - CRIMPFOX-RCI 6 CUS - 1212774

## Technical data

### General

|                    |                     |
|--------------------|---------------------|
| AWG max            | 16                  |
| Designation        | Crimping position 2 |
| Min. cross section | 1.5 mm <sup>2</sup> |
| Max. cross section | 2.5 mm <sup>2</sup> |
| AWG min            | 16                  |
| AWG max            | 14                  |
| Designation        | Crimping position 3 |
| Min. cross section | 4 mm <sup>2</sup>   |
| Max. cross section | 6 mm <sup>2</sup>   |
| AWG min            | 12                  |
| AWG max            | 10                  |
| Weight             | 578 g               |
| Min. cross section | 0.5 mm <sup>2</sup> |
| Max. cross section | 6 mm <sup>2</sup>   |
| AWG min            | 20                  |
| AWG max            | 10                  |

### Environmental Product Compliance

|                           |   |
|---------------------------|---|
| California Proposition 65 | Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration |
|---------------------------|---|

## Classifications

### eCl@ss

|               |          |
|---------------|----------|
| eCl@ss 10.0.1 | 21043811 |
| eCl@ss 4.0    | 21040300 |
| eCl@ss 4.1    | 21040300 |
| eCl@ss 5.0    | 21040300 |
| eCl@ss 5.1    | 21040300 |
| eCl@ss 6.0    | 21049000 |
| eCl@ss 7.0    | 21049090 |
| eCl@ss 8.0    | 21049090 |
| eCl@ss 9.0    | 21043811 |

### ETIM

|          |          |
|----------|----------|
| ETIM 2.0 | EC001186 |
| ETIM 3.0 | EC001186 |
| ETIM 4.0 | EC001186 |

# Crimping pliers - CRIMPFOX-RCI 6 CUS - 1212774

## Classifications

### ETIM

|          |          |
|----------|----------|
| ETIM 5.0 | EC000168 |
| ETIM 6.0 | EC000168 |
| ETIM 7.0 | EC000168 |

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 13.2 | 27111518 |
| UNSPSC 18.0 | 27111518 |
| UNSPSC 19.0 | 27111518 |
| UNSPSC 20.0 | 27111518 |
| UNSPSC 21.0 | 27111518 |

## Approvals

### Approvals

---

### Approvals

### EAC

---

### Ex Approvals

---

### Approval details

|     |  |                          |
|-----|--|--------------------------|
| EAC |  | RU x-<br>DE.xx08.B.02974 |
|-----|--|--------------------------|

## Accessories

### Accessories

### Die

Replacement die - CRIMPFOX-RCI 6/DIE - 1212058



Spare die for CRIMPFOX-RCI 6

## Crimping pliers - CRIMPFOX-RCI 6 CUS - 1212774

### Accessories

#### Mounting material

Replacement spring - CRIMPFOX/ SPR-1 - 1212069



Spare recuperating spring