

## Diagonal cutter - MICROFOX-SP\_DB - 1212806

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Electronic diagonal cutter, with opening spring, tapered head, angled (21°), without chamfer, type of packaging: with holder for sales display (backcard)

### Your advantages

- ✔ Opening spring for uniform, smooth opening
- ✔ Ergonomically designed two-component handles for fatigue-proof and non-slip use
- ✔ Through-connected joint for permanent stability and optimum distribution of force
- ✔ Made from special high-grade tool steel
- ✔ Mirror-polished and oiled metal surfaces, which provide maximum rust protection

### Key Commercial Data

Packing unit	1 pc
GTIN	 4 046356 994705
GTIN	4046356994705
Custom tariff number	82032000
Country of origin	Germany

### Technical data

#### Dimensions

Length (b)	115 mm
------------	--------

#### General

Weight	83 g
--------	------

### Environmental Product Compliance

California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration
---------------------------	---

# Diagonal cutter - MICROFOX-SP\_DB - 1212806

## Classifications

### eCl@ss

eCl@ss 10.0.1	21043711
eCl@ss 4.0	21040300
eCl@ss 4.1	21040300
eCl@ss 5.0	21040300
eCl@ss 5.1	21040300
eCl@ss 6.0	21043700
eCl@ss 7.0	21043711
eCl@ss 8.0	21043711
eCl@ss 9.0	21043711

### ETIM

ETIM 2.0	EC001186
ETIM 3.0	EC001186
ETIM 4.0	EC000165
ETIM 5.0	EC000165
ETIM 6.0	EC000165
ETIM 7.0	EC000165

### UNSPSC

UNSPSC 13.2	27111511
UNSPSC 18.0	27111511
UNSPSC 19.0	27111511
UNSPSC 20.0	27111511
UNSPSC 21.0	27111511

## Approvals

### Approvals

---

Approvals

EAC

---

Ex Approvals

---

### Approval details

## Diagonal cutter - MICROFOX-SP\_DB - 1212806

### Approvals

EAC



RU x-  
DE.xx08.B.02974