

Diagonal cutter - CUTFOX-S VDE M - 1212830

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Diagonal cutter, 130 mm, induction-hardened cutting, VDE 1000 V AC/ 1500 V DC tested

Your advantages

- Inductively hardened blades for long-term stable cutting performance
- VDE-tested cutting tools made from special high-grade tool steel

Key Commercial Data

Packing unit	1 pc
GTIN	 4 055626 045498
GTIN	4055626045498
Weight per Piece (excluding packing)	145.000 g
Custom tariff number	82032000
Country of origin	Germany

Technical data

Dimensions

Length (b)	130 mm
Cable diameter	0.2 mm ... 11 mm

General

Test standard	DIN EN 60900 (VDE 0682 PART 201)
	DIN ISO 5746
Weight	150 g
Min. cross section	0 mm ²

Standards and Regulations

Test standard	DIN EN 60900 (VDE 0682 PART 201)
	DIN ISO 5746

Diagonal cutter - CUTFOX-S VDE M - 1212830

Technical data

Environmental Product Compliance

California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration
---------------------------	---

Classifications

eCl@ss

eCl@ss 10.0.1	21043711
eCl@ss 4.0	21040300
eCl@ss 4.1	21040300
eCl@ss 5.0	21040300
eCl@ss 5.1	21040300
eCl@ss 6.0	21043700
eCl@ss 7.0	21043711
eCl@ss 8.0	21043711
eCl@ss 9.0	21043711

ETIM

ETIM 4.0	EC000165
ETIM 5.0	EC000165
ETIM 6.0	EC000165
ETIM 7.0	EC000165

UNSPSC

UNSPSC 13.2	27111511
UNSPSC 18.0	27111511
UNSPSC 19.0	27111511
UNSPSC 20.0	27111511
UNSPSC 21.0	27111511

Approvals

Approvals

Approvals


VDE Zeichengenehmigung / EAC

Ex Approvals

Diagonal cutter - CUTFOX-S VDE M - 1212830

Approvals

Approval details

VDE Zeichengenehmigung		http://www2.vde.com/de/Institut/Online-Service/VDE-gepruefteProdukte/Seiten/Online-Suche.aspx	109845
------------------------	---	---	--------

EAC			RU x- DE.xx08.B.02974
-----	---	--	--------------------------
