

Shielding foil - ALU-SB - 1404531


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Shielding foil, for fixing the braided shield of shielded cables. Length: 4 cm, width: 1.2 cm



RoHS

Key Commercial Data

Packing unit	1 pc
Minimum order quantity	100 pc
GTIN	 4 046356 698733
GTIN	4046356698733
Weight per Piece (excluding packing)	0.200 g
Custom tariff number	74102100
Country of origin	Germany

Technical data

Dimensions

Length	40 mm
Width	12 mm

General

Material	Copper, tin-plated
----------	--------------------


Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Drawings

Shielding foil - ALU-SB - 1404531

Dimensional drawing



Classifications

eCl@ss

eCl@ss 10.0.1	27440192
eCl@ss 4.0	27378000
eCl@ss 4.1	27378000
eCl@ss 5.0	27379100
eCl@ss 5.1	27379100
eCl@ss 6.0	27379200
eCl@ss 7.0	27379201
eCl@ss 8.0	27379201
eCl@ss 9.0	27440192

ETIM

ETIM 3.0	EC000174
ETIM 4.0	EC002498
ETIM 5.0	EC002498
ETIM 6.0	EC002498
ETIM 7.0	EC002498

UNSPSC

UNSPSC 6.01	31251501
UNSPSC 7.0901	27113201
UNSPSC 11	31251501
UNSPSC 12.01	31251501
UNSPSC 13.2	39121421
UNSPSC 18.0	39121421
UNSPSC 19.0	39121421

Shielding foil - ALU-SB - 1404531

Classifications

UNSPSC

UNSPSC 20.0	39121421
UNSPSC 21.0	39121421