


Protective covers - VS-PPC-C1-PC-ROBK-L - 1405293

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Sealing plug with locking for push-pull panel mounting frame, data (VS-PPC-F1...), IP65/67 degree of protection



Key Commercial Data

Packing unit	1 pc
GTIN	 4 046356 420402
GTIN	4046356420402
Weight per Piece (excluding packing)	10.000 g
Custom tariff number	39269097
Country of origin	Germany

Technical data

Mechanical characteristics

Locking type	Push Pull
Weight	7.7 g

Material data

Width	20 mm
Height	22.6 mm
Length	20.9 mm

Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50 years

Protective covers - VS-PPC-C1-PC-ROBK-L - 1405293


Technical data

Environmental Product Compliance

For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Drawings

Dimensional drawing



Sealing plug with locking for push-pull panel mounting frame

Protective covers - VS-PPC-C1-PC-ROBK-L - 1405293

Classifications

eCl@ss

eCl@ss 10.0.1	27440208
eCl@ss 4.0	27260700
eCl@ss 4.1	27260700
eCl@ss 5.0	27260700
eCl@ss 5.1	27260700
eCl@ss 6.0	27261200
eCl@ss 7.0	27440208
eCl@ss 8.0	27440208
eCl@ss 9.0	27440208

ETIM

ETIM 3.0	EC000723
ETIM 4.0	EC002314
ETIM 5.0	EC002314
ETIM 6.0	EC002314
ETIM 7.0	EC002314

UNSPSC

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	39121421
UNSPSC 18.0	39121421
UNSPSC 19.0	39121421
UNSPSC 20.0	39121421
UNSPSC 21.0	39121421

Approvals

Approvals

Approvals


EAC

Ex Approvals

Protective covers - VS-PPC-C1-PC-ROBK-L - 1405293

Approvals

Approval details

EAC		B.01742
-----	---	---------