

Adapter - HC-D-TA-M25-PLRBK - 1411352

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



EVO plastic adapter with bayonet locking, for EVO housing series D, for M25 screw connections.



COMPLETE™

Key Commercial Data

| | |
|--------------------------------------|---|
| Packing unit | 1 pc |
| GTIN |  4 046356 929233 |
| GTIN | 4046356929233 |
| Weight per Piece (excluding packing) | 20.000 g |
| Custom tariff number | 39269097 |
| Country of origin | Poland |

Technical data

Ambient conditions

| | |
|---------------------------------|----------------------|
| Degree of protection (IP) | IP66 (DIN IEC 60529) |
| Ambient temperature (operation) | -40 °C ... 125 °C |

General

| | |
|--|--------|
| Type of the screw connection | M25 |
| Material | PA |
| Housing material | PA |
| Seal material | NBR |
| Sealing material | O-ring |
| Flammability rating according to UL 94 | V2 |
| Thread type on seal side | M25 |
| Color | black |

Adapter - HC-D-TA-M25-PLRBK - 1411352

Technical data

Standards and Regulations


| | |
|--|----|
| Flammability rating according to UL 94 | V2 |
|--|----|

Environmental Product Compliance

| | |
|------------|---|
| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
| | No hazardous substances above threshold values |

Drawings

Dimensional drawing



Dimensional drawing

Classifications

eCl@ss

| | |
|---------------|----------|
| eCl@ss 10.0.1 | 27440192 |
|---------------|----------|

Adapter - HC-D-TA-M25-PLRBK - 1411352

Classifications

eCl@ss

| | |
|------------|----------|
| eCl@ss 5.1 | 27261200 |
| eCl@ss 6.0 | 27261200 |
| eCl@ss 7.0 | 27440202 |
| eCl@ss 8.0 | 27440202 |
| eCl@ss 9.0 | 27440192 |

ETIM

| | |
|----------|----------|
| ETIM 4.0 | EC000516 |
| ETIM 5.0 | EC000516 |
| ETIM 6.0 | EC000437 |
| ETIM 7.0 | EC000437 |

UNSPSC

| | |
|-------------|----------|
| UNSPSC 13.2 | 31261501 |
| UNSPSC 18.0 | 39121421 |
| UNSPSC 19.0 | 39121421 |
| UNSPSC 20.0 | 39121421 |
| UNSPSC 21.0 | 39121421 |

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approval details

| | | |
|-----|---|--------------------------|
| EAC |  | RU C- DE.AI30.B.01102 |
|-----|---|--------------------------|

Accessories

Accessories

Corrugated pipe screw connection

Adapter - HC-D-TA-M25-PLRBK - 1411352

Accessories

Screw connection - WP-G HF IP66 M25 BK - 3240899



Cable gland, metric thread, IP66 protection, straight

Full screw connection

Cable gland - G-INS-M25-M68N-PNES-BK - 1411134



Cable gland, cable gland material: PA, external cable diameter 11 mm ... 17 mm, shielding: no, connecting thread: M25 x 1.5, color: jet black RAL 9005

Cable gland - G-INS-M25-L68N-PNES-BK - 1424482



Cable gland, cable gland material: PA, external cable diameter 13 mm ... 18 mm, shielding: no, connecting thread: M25 x 1.5, color: jet black RAL 9005
