

## Profile gasket - HC-D25-SP-RBK - 1414672


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Replacement profile gasket, for HC-EVO-D25.....BK housing



### Key Commercial Data

Packing unit	1
GTIN	 4 055626 031231
GTIN	4055626031231
Custom tariff number	40169300

### Technical data

#### Dimensions

Length	80 mm
Width	30 mm
Height	4 mm

#### Ambient conditions

Ambient temperature (operation)	-40 °C ... 125 °C
---------------------------------	-------------------

#### General

Size	D25
Material	NBR
Seal material	NBR
Color	black
Assembly instructions	The replacement seal should be bonded with Loctite 454 adhesive.
Connection	For HC-EVO-D25...BK housing


# Profile gasket - HC-D25-SP-RBK - 1414672

## Technical data

### Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

## Drawings



Dimensional drawing

## Classifications

eCl@ss

eCl@ss 10.0.1	23071590
eCl@ss 4.0	23110100
eCl@ss 4.1	23110100
eCl@ss 5.0	23110100
eCl@ss 5.1	23110100
eCl@ss 6.0	23071500
eCl@ss 7.0	23071590
eCl@ss 8.0	23071590
eCl@ss 9.0	23071590

ETIM

ETIM 5.0	EC001181
ETIM 6.0	EC001181
ETIM 7.0	EC001181

# Profile gasket - HC-D25-SP-RBK - 1414672

## Classifications

### UNSPSC

UNSPSC 13.2	31401601
UNSPSC 18.0	31401601
UNSPSC 19.0	31401601
UNSPSC 20.0	31401601
UNSPSC 21.0	31401601

## Approvals

### Approvals

---

### Approvals

EAC

---

### Ex Approvals

---

## Approval details

EAC		RU C- DE.AI30.B.01102
-----	-------------------------------------------------------------------------------------	--------------------------

---