

## Reducing adapter - A-INR-PG21/16-N-NS-S - 1415217

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Reducing adapter, material: Brass, nickel-plated, connecting thread: Pg21, color: silver, with O-ring

### Product Description

Reducing adapter reduces Pg21 to Pg16

### Key Commercial Data

Packing unit	1 pc
Minimum order quantity	10 pc
GTIN	 4 055626 038605
GTIN	4055626038605
Weight per Piece (excluding packing)	20.000 g
Custom tariff number	74199990
Country of origin	Germany

### Technical data

#### Dimensions

Length	10 mm
Length without connecting thread	3 mm
Connecting thread diameter	29 mm
Hexagon angular dimension	33.5 mm
Length of the connecting thread	7 mm

#### Ambient conditions

Degree of protection (IP)	IP68 (Depends on the screw connection used)
---------------------------	---

## Reducing adapter - A-INR-PG21/16-N-NS-S - 1415217

### Technical data

#### General

Material	Brass, nickel-plated
O-ring material	NBR
Outer thread	Pg21
Internal thread	Pg16
Color	silver

#### Standards and Regulations

Halogen-free	no
--------------	----


#### Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50 years
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

### Drawings

# Reducing adapter - A-INR-PG21/16-N-NS-S - 1415217

Dimensional drawing



Dimensional drawing

## Classifications

eCl@ss

eCl@ss 10.0.1	27440201
eCl@ss 4.0	27141200
eCl@ss 4.1	27141200
eCl@ss 5.0	27149100
eCl@ss 5.1	27149100

## Reducing adapter - A-INR-PG21/16-N-NS-S - 1415217

### Classifications

#### eCl@ss

eCl@ss 6.0	27149100
eCl@ss 7.0	27149109
eCl@ss 8.0	27149109
eCl@ss 9.0	27440201

#### ETIM

ETIM 5.0	EC000441
ETIM 6.0	EC002309
ETIM 7.0	EC002309

#### UNSPSC

UNSPSC 13.2	39121311
UNSPSC 18.0	31261501
UNSPSC 19.0	31261501
UNSPSC 20.0	31261501
UNSPSC 21.0	31261501