

Docking frames - HC-B 10-ANDOCK - 1586125

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Docking frame for racks, for contact inserts of B10 type, with four M5 flat headed screws, rack balance x/y axis +/- 1.5 mm



COMPLETE

Key Commercial Data

| | |
|--------------------------------------|---|
| Packing unit | 1 pc |
| Minimum order quantity | 2 pc |
| GTIN |  4 046356 345736 |
| GTIN | 4046356345736 |
| Weight per Piece (excluding packing) | 110.000 g |
| Custom tariff number | 85389099 |
| Country of origin | Germany |

Technical data

Dimensions

| | |
|--------|-------|
| Height | 99 mm |
| Width | 55 mm |

General

| | |
|-----------------------|---|
| Material | Stainless steel |
| Type | B10 |
| Assembly instructions | Due to the floating docking frame, a metal attachment panel must be grounded. |
| Connection | For contact inserts from series B10, DD42, BB18, K, M |

Environmental Product Compliance

| | |
|------------|--|
| China RoHS | Environmentally Friendly Use Period = 50 years |
|------------|--|


Docking frames - HC-B 10-ANDOCK - 1586125

Technical data

Environmental Product Compliance

| | |
|--|---|
| | For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration" |
|--|---|


Drawings



Dimensional drawing


Docking frames - HC-B 10-ANDOCK - 1586125

Dimensional drawing



Mounting cutout

Dimensional drawing



max. dimensions of both the docking frames (in case of standard contacts 25.8 mm; in case of fiber optics contacts 27 mm; in case of pneumatic contacts 26.5 mm)

Docking frames - HC-B 10-ANDOCK - 1586125

Classifications

eCl@ss

| | |
|---------------|----------|
| eCl@ss 10.0.1 | 27440206 |
| eCl@ss 4.0 | 27260700 |
| eCl@ss 4.1 | 27260700 |
| eCl@ss 5.0 | 27189200 |
| eCl@ss 5.1 | 27189200 |
| eCl@ss 6.0 | 27261200 |
| eCl@ss 7.0 | 27440210 |
| eCl@ss 8.0 | 27440210 |
| eCl@ss 9.0 | 27440206 |

ETIM

| | |
|----------|----------|
| ETIM 3.0 | EC002310 |
| ETIM 4.0 | EC002310 |
| ETIM 5.0 | EC002310 |
| ETIM 6.0 | EC002312 |
| ETIM 7.0 | EC002312 |

UNSPSC

| | |
|---------------|----------|
| UNSPSC 6.01 | 30211817 |
| UNSPSC 7.0901 | 39121416 |
| UNSPSC 11 | 43172601 |
| UNSPSC 12.01 | 39121522 |
| UNSPSC 13.2 | 39121421 |
| UNSPSC 18.0 | 31261501 |
| UNSPSC 19.0 | 31261501 |
| UNSPSC 20.0 | 31261501 |
| UNSPSC 21.0 | 31261501 |