

Fiber optic coupling - VS-SCRJ-GOF-KU - 1654358

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



SC-RJ coupling insert, duplex, for VS-PP-19-1HE-16-F patch panel, VS-TO...F... terminal outlets, and VS-SI-FP-2F front plate, can be used for GOF (multi-mode and single mode), HCS, and polymer fiber types

Your advantages

- suitable for fiber types:
 - POF (980/1000 µm)
 - PCF (200/230 µm)
 - GOF MM (50/125 µm and 62.5/125 µm)
 - GOF SM (9/125 µm)



Key Commercial Data

Packing unit	1 pc
GTIN	
GTIN	4017918970635
Weight per Piece (excluding packing)	9.740 g
Custom tariff number	39269097
Country of origin	Switzerland

Technical data

Mechanical characteristics

Connection method	Coupling
Number of slots	2
Insertion/withdrawal cycles	≥ 500
Weight	9 g
Flammability rating according to UL 94	V0

Ambient conditions

Fiber optic coupling - VS-SCRJ-GOF-KU - 1654358

Technical data

Ambient conditions

Ambient temperature (operation)	-25 °C ... 70 °C
Ambient temperature (assembly)	-5 °C ... 50 °C
Ambient temperature (storage/transport)	-40 °C ... 85 °C
Degree of protection	IP20

Material data

Housing material	PBT
------------------	-----

Standards and Regulations

Flammability rating according to UL 94	V0
--	----

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Classifications

eCl@ss

eCl@ss 10.0.1	19170122
eCl@ss 4.0	27260700
eCl@ss 4.1	27260700
eCl@ss 5.0	27260700
eCl@ss 5.1	27260700
eCl@ss 6.0	27260700
eCl@ss 7.0	27440309
eCl@ss 8.0	19170122
eCl@ss 9.0	19170122

ETIM

ETIM 2.0	EC000764
ETIM 3.0	EC001121
ETIM 4.0	EC001121
ETIM 5.0	EC001122
ETIM 6.0	EC001122
ETIM 7.0	EC001122

UNSPSC

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501

Fiber optic coupling - VS-SCRJ-GOF-KU - 1654358

Classifications

UNSPSC

UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	43223310
UNSPSC 18.0	43223310
UNSPSC 19.0	43223310
UNSPSC 20.0	43223310
UNSPSC 21.0	43223310

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approval details

EAC		B.01742
-----	--	---------

Accessories

Accessories

Data front plate

Front plate - VS-SI-FP-2F - 1658532



Front plate, plastic, with two Freenet slots

Patch panel

Fiber optic coupling - VS-SCRJ-GOF-KU - 1654358

Accessories

Marshalling panel - VS-PP-19-1HE-16-F - 1652994

Patch panel, 19" assembly, IP20, with 16 slots for contact inserts with the Freenet system



Phoenix Contact 2020 © - all rights reserved
<http://www.phoenixcontact.com>