

## FO connecting cable - VS-PC-2XHCS-200-SCRJ/SCRJ-1 - 1654934

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Assembled FO cable, breakout cable, 200/230 µm PCF fiber, SC-RJ/IP20 to SC-RJ/IP20, for installation inside control cabinets, length: 1 m



### Key Commercial Data

Packing unit	1 pc
GTIN	 4 046356 028905
GTIN	4046356028905
Weight per Piece (excluding packing)	56.000 g
Custom tariff number	85447000
Country of origin	Czech Republic

### Technical data

#### Mechanical characteristics

Insertion/withdrawal cycles	≥ 500
Weight	45.9 g

#### Ambient conditions

Ambient temperature (operation)	-40 °C ... 70 °C
	-20 °C ... 70 °C
	-20 °C ... 70 °C
Ambient temperature (assembly)	-5 °C ... 50 °C
Ambient temperature (storage/transport)	-40 °C ... 70 °C
Degree of protection	IP20

#### Material data

# FO connecting cable - VS-PC-2XHCS-200-SCRJ/SCRJ-1 - 1654934

## Technical data

### Material data

Housing material	PBT
------------------	-----

### Electrical characteristics

Lateral strength	60 N/cm
------------------	---------

### Standards and Regulations


Flame resistance	yes, in accordance with IEC 60332-1-2 and in accordance with IEC 60332-3-22 Cat A
Resistance to oil	yes

### Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50 years
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

## Drawings


Dimensional drawing



SC-RJ connector IP20

# FO connecting cable - VS-PC-2XHCS-200-SCRJ/SCRJ-1 - 1654934


Schematic diagram



Pin assignment plug SCRJ

# FO connecting cable - VS-PC-2XHCS-200-SCRJ/SCRJ-1 - 1654934

Schematic diagram



Pin assignment plug SCRJ

## Classifications

eCl@ss

eCl@ss 10.0.1	27061003
eCl@ss 4.0	27061000
eCl@ss 4.1	27061000
eCl@ss 5.0	27061000
eCl@ss 5.1	27061000
eCl@ss 6.0	27061000
eCl@ss 7.0	27061003
eCl@ss 8.0	27061003
eCl@ss 9.0	27061003

ETIM

ETIM 2.0	EC000764
ETIM 3.0	EC001263
ETIM 4.0	EC001263
ETIM 5.0	EC001263

# FO connecting cable - VS-PC-2XHCS-200-SCRJ/SCRJ-1 - 1654934

## Classifications

### ETIM

ETIM 6.0	EC001263
ETIM 7.0	EC001263

### UNSPSC

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	26121607
UNSPSC 18.0	26121607
UNSPSC 19.0	26121607
UNSPSC 20.0	26121607
UNSPSC 21.0	26121607

## Approvals

### Approvals

---

Approvals


EAC

---

Ex Approvals

---

### Approval details

EAC		B.01742
-----	---	---------