


Socket insert - VS-SI-SD-GB - 1656547

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Ground contact socket, plastic, for Great Britain



Key Commercial Data

| | |
|--------------------------------------|---|
| Packing unit | 1 pc |
| GTIN |  4 046356 029919 |
| GTIN | 4046356029919 |
| Weight per Piece (excluding packing) | 74.900 g |
| Custom tariff number | 85366990 |
| Country of origin | Hungary |

Technical data

Mechanical characteristics

| | |
|--|-------------------|
| Connection method | Screw connection |
| AWG solid max. | 10 |
| Conductor cross section | 6 mm ² |
| Weight | 74.9 g |
| Flammability rating according to UL 94 | V0 |

Ambient conditions

| | |
|---------------------------------|------------------|
| Ambient temperature (operation) | -10 °C ... 60 °C |
| Degree of protection | IP20 |

Material data

| | |
|------------------|----|
| Housing material | PA |
|------------------|----|

Socket insert - VS-SI-SD-GB - 1656547

Technical data

Material data

| | |
|-----------------------|----------------------------------|
| Assembly instructions | suitable for all mounting frames |
|-----------------------|----------------------------------|

Electrical characteristics

| | |
|------------------------------|------|
| Connection cross section AWG | 10 |
| Rated current | 13 A |

Standards and Regulations

| | |
|--|----|
| Flammability rating according to UL 94 | V0 |
|--|----|


Environmental Product Compliance

| | |
|------------|---|
| REACH SVHC | Lead 7439-92-1 |
| China RoHS | Environmentally Friendly Use Period = 50 years |
| | For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration" |

Drawings

Socket insert - VS-SI-SD-GB - 1656547

Dimensional drawing



Socket insert

Classifications

eCl@ss

| | |
|---------------|----------|
| eCl@ss 10.0.1 | 27144021 |
| eCl@ss 4.0 | 27142300 |
| eCl@ss 4.1 | 27142300 |
| eCl@ss 5.0 | 27142300 |
| eCl@ss 5.1 | 27142300 |
| eCl@ss 6.0 | 27142300 |
| eCl@ss 7.0 | 27142305 |

Socket insert - VS-SI-SD-GB - 1656547

Classifications

eCl@ss

| | |
|------------|----------|
| eCl@ss 8.0 | 27142305 |
| eCl@ss 9.0 | 27144021 |

ETIM

| | |
|----------|----------|
| ETIM 2.0 | EC001121 |
| ETIM 3.0 | EC000125 |
| ETIM 4.0 | EC000125 |
| ETIM 5.0 | EC001663 |
| ETIM 6.0 | EC000450 |
| ETIM 7.0 | EC000450 |

UNSPSC

| | |
|---------------|----------|
| UNSPSC 6.01 | 31261501 |
| UNSPSC 7.0901 | 31261501 |
| UNSPSC 11 | 31261501 |
| UNSPSC 12.01 | 31261501 |
| UNSPSC 13.2 | 39121406 |
| UNSPSC 19.0 | 39121406 |

Approvals


Approvals


Approvals

EAC / EAC

Ex Approvals

Approval details

| | | |
|-----|---|---------------|
| EAC |  | EAC-Zulassung |
|-----|---|---------------|

| | | |
|-----|---|--------------------------|
| EAC |  | RU C- DE.A*30.B.01102 |
|-----|---|--------------------------|

