


## RJ45 coding rings - VS-08-RJ45-Q-COD-GY - 1658163

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Coding rings, for color coding of the RJ45 QUICKON connector, consisting of 10 color rings, color: Gray



### Key Commercial Data

|                                      |   |
|--------------------------------------|---|
| Packing unit                         | 1 pc  |
| Minimum order quantity               | 10 pc   |
| GTIN                                 | <br>4 046356 154413 |
| GTIN                                 | 4046356154413   |
| Weight per Piece (excluding packing) | 0.330 g   |
| Custom tariff number                 | 39269097  |
| Country of origin                    | Switzerland   |

### Technical data

#### Mechanical characteristics

|  |        |
|--|--------|
| Weight                                 | 0.33 g |
| Flammability rating according to UL 94 | V0     |

#### Ambient conditions

|                                 |                  |
|---------------------------------|------------------|
| Ambient temperature (operation) | -40 °C ... 80 °C |
|---------------------------------|------------------|

#### Material data

|                      |         |
|----------------------|---------|
| Cable gland material | PA      |
| Width                | 12.5 mm |
| Height               | 12.5 mm |
| Length               | 4.1 mm  |

# RJ45 coding rings - VS-08-RJ45-Q-COD-GY - 1658163

## Technical data

### Standards and Regulations

|  |    |
|--|----|
| Flammability rating according to UL 94 | V0 |
|--|----|

### Environmental Product Compliance

|            |   |
|------------|---|
| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
|            | No hazardous substances above threshold values          |

## Classifications

### eCl@ss

|               |          |
|---------------|----------|
| eCl@ss 10.0.1 | 27371392 |
| eCl@ss 4.0    | 27378000 |
| eCl@ss 4.1    | 27378000 |
| eCl@ss 5.0    | 27379100 |
| eCl@ss 5.1    | 27379100 |
| eCl@ss 6.0    | 27379200 |
| eCl@ss 7.0    | 27379201 |
| eCl@ss 8.0    | 27379201 |
| eCl@ss 9.0    | 27379201 |

### ETIM

|          |          |
|----------|----------|
| ETIM 3.0 | EC000766 |
| ETIM 4.0 | EC000766 |
| ETIM 5.0 | EC002498 |
| ETIM 6.0 | EC002498 |
| ETIM 7.0 | EC002498 |

### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 26121616 |
| UNSPSC 7.0901 | 26121616 |
| UNSPSC 11     | 26121604 |
| UNSPSC 12.01  | 31261501 |
| UNSPSC 13.2   | 39121421 |
| UNSPSC 18.0   | 39121421 |
| UNSPSC 19.0   | 39121421 |
| UNSPSC 20.0   | 39121421 |
| UNSPSC 21.0   | 39121421 |

