

## Cover plate - HC-D 25-AP-GY - 1660355


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



HEAVYCON cover plate, for wall cutouts of type D25, 3.5 mm thick, gray



### Key Commercial Data

Packing unit	1 pc
Minimum order quantity	10 pc
GTIN	 4 017918 021993
GTIN	4017918021993
Weight per Piece (excluding packing)	14.920 g
Custom tariff number	85472000
Country of origin	Germany

### Technical data

#### Dimensions

Length	103 mm
Height	3.5 mm
Hole diameter	3.5 mm
Width	45 mm
Drill hole distance, horizontal	86 mm
Drill hole distance, vertical	17.5 mm

#### General

Note	For wall cutouts of type D25
Material	PA
Flammability rating according to UL 94	HB

# Cover plate - HC-D 25-AP-GY - 1660355

## Technical data

### General

Color	gray
Type	D25

### Standards and Regulations


Flammability rating according to UL 94	HB
--	----

### Environmental Product Compliance

China RoHS	Environmentally Friendly Use Period = 50 years
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

## Drawings

Dimensional drawing



Dimensional drawing

## Classifications

eCl@ss

eCl@ss 10.0.1	27440201
eCl@ss 4.0	27140800
eCl@ss 4.1	27140800
eCl@ss 5.0	27143400

## Cover plate - HC-D 25-AP-GY - 1660355

### Classifications

#### eCl@ss

eCl@ss 5.1	27143400
eCl@ss 6.0	27261200
eCl@ss 7.0	27440201
eCl@ss 8.0	27440201
eCl@ss 9.0	27440201

#### ETIM

ETIM 3.0	EC002310
ETIM 4.0	EC000886
ETIM 5.0	EC002309
ETIM 6.0	EC002309
ETIM 7.0	EC002309

#### UNSPSC

UNSPSC 6.01	30211817
UNSPSC 7.0901	39121416
UNSPSC 11	39121408
UNSPSC 12.01	39121408
UNSPSC 13.2	31261501
UNSPSC 18.0	31261501
UNSPSC 19.0	31261501
UNSPSC 20.0	31261501
UNSPSC 21.0	31261501