

Coding element - HC-CST - 1676857

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Coding peg for coding up to 16 connectors



COMPLETE

Key Commercial Data

| | |
|--------------------------------------|---|
| Packing unit | 1 pc |
| Minimum order quantity | 10 pc |
| GTIN |  4 017918 129477 |
| GTIN | 4017918129477 |
| Weight per Piece (excluding packing) | 1.920 g |
| Custom tariff number | 73181595 |
| Country of origin | China |

Technical data

Dimensions

| | |
|--------|-------|
| Length | 25 mm |
| Width | 4 mm |
| Height | 4 mm |

General

| | |
|-----------------------|--|
| Material | Steel, galvanized |
| Color | silver |
| Note | Prevents most cases of the connector being inserted at an angle; Prescribed for contact inserts of series HC-D... and HC-DD... |
| Assembly instructions | Cannot be used for modular systems. Male and female coding connectors are mandatory for contact inserts of the HC-D... and HC-DD series. |

Coding element - HC-CST - 1676857


Technical data

Environmental Product Compliance

| | |
|------------|---|
| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
| | No hazardous substances above threshold values |

Drawings


Dimensional drawing



Dimensional drawing

Coding element - HC-CST - 1676857


Schematic diagram



Coding with HC-CBU and HC-CST, for housings with two contact inserts

Coding element - HC-CST - 1676857

Schematic diagram



Coding with HC-CBU and HC-CST, for housings with one contact insert

Classifications

eCl@ss

| | |
|---------------|----------|
| eCl@ss 10.0.1 | 27440203 |
| eCl@ss 4.0 | 27140800 |
| eCl@ss 4.1 | 27140800 |
| eCl@ss 5.0 | 27143400 |
| eCl@ss 5.1 | 27143400 |
| eCl@ss 6.0 | 27269200 |
| eCl@ss 7.0 | 27440203 |
| eCl@ss 8.0 | 27440203 |
| eCl@ss 9.0 | 27440203 |

ETIM

| | |
|----------|----------|
| ETIM 2.0 | EC001121 |
| ETIM 3.0 | EC001121 |
| ETIM 4.0 | EC002498 |
| ETIM 5.0 | EC002311 |
| ETIM 6.0 | EC002311 |
| ETIM 7.0 | EC002311 |

UNSPSC

| | |
|-------------|----------|
| UNSPSC 6.01 | 30211817 |
|-------------|----------|

Coding element - HC-CST - 1676857

Classifications

UNSPSC

| | |
|---------------|----------|
| UNSPSC 7.0901 | 39121416 |
| UNSPSC 11 | 43172601 |
| UNSPSC 12.01 | 39121522 |
| UNSPSC 13.2 | 27112301 |
| UNSPSC 18.0 | 27112301 |
| UNSPSC 19.0 | 27112301 |
| UNSPSC 20.0 | 27112301 |
| UNSPSC 21.0 | 27112301 |

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approval details

| | | |
|-----|--|--------------------------|
| EAC | | RU C- DE.AI30.B.01102 |
|-----|--|--------------------------|

Accessories

Additional products

Coding element - HC-CBU - 1676860



Coding socket for coding up to 16 connectors
