

D-SUB EMC shroud - VS-15-A-EMV-S - 1688049


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

D-SUB EMC shroud, shell size 2, shielded, for panel mounting frame VS-15-...



RoHS

Key Commercial Data

Packing unit	1 pc
Minimum order quantity	5 pc
GTIN	 4 017918 182311
GTIN	4017918182311
Weight per Piece (excluding packing)	0.690 g
Custom tariff number	85389099
Country of origin	Germany

Technical data

Mechanical characteristics

Degree of pollution	2
Weight	0.8 g

Ambient conditions

Ambient temperature (operation)	-40 °C ... 80 °C
---------------------------------	------------------

Material data

Housing material	Nickel silver
Width	0.6 mm
Height	44.3 mm
Length	17.5 mm

D-SUB EMC shroud - VS-15-A-EMV-S - 1688049

Technical data

Electrical characteristics


Degree of pollution	2
---------------------	---

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Drawings

Dimensional drawing



D-SUB EMC shroud

Classifications

eCl@ss

eCl@ss 10.0.1	27440201
eCl@ss 4.0	27260700
eCl@ss 4.1	27260700
eCl@ss 5.0	27260700
eCl@ss 5.1	27261200

D-SUB EMC shroud - VS-15-A-EMV-S - 1688049

Classifications

eCl@ss

eCl@ss 6.0	27261200
eCl@ss 7.0	27440201
eCl@ss 8.0	27440201
eCl@ss 9.0	27440201

ETIM

ETIM 2.0	EC000437
ETIM 3.0	EC000437
ETIM 4.0	EC000437
ETIM 5.0	EC002309
ETIM 6.0	EC002309
ETIM 7.0	EC002309

UNSPSC

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	31261501
UNSPSC 18.0	31261501
UNSPSC 19.0	31261501
UNSPSC 20.0	31261501
UNSPSC 21.0	31261501