


D-SUB EMC shroud - VS-09-A-EMV-S - 1688463

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

D-SUB EMC shroud, for panel mounting frame VS-09-..., shell size 1, shielded



Key Commercial Data

Packing unit	1 pc
Minimum order quantity	5 pc
GTIN	 4 017918 818395
GTIN	4017918818395
Weight per Piece (excluding packing)	0.670 g
Custom tariff number	85389099
Country of origin	Germany

Technical data

Mechanical characteristics

Degree of pollution	2
Weight	0.75 g

Ambient conditions

Ambient temperature (operation)	-40 °C ... 80 °C
---------------------------------	------------------

Material data

Housing material	Nickel silver
Width	35.9 mm
Height	17.5 mm

Electrical characteristics

D-SUB EMC shroud - VS-09-A-EMV-S - 1688463

Technical data

Electrical characteristics


Degree of pollution	2
---------------------	---

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Drawings

Dimensional drawing



D-SUB panel mounting frame

Classifications

eCl@ss

eCl@ss 10.0.1	19179290
eCl@ss 4.0	27260700
eCl@ss 4.1	27260700
eCl@ss 5.0	27260700
eCl@ss 5.1	27260700

D-SUB EMC shroud - VS-09-A-EMV-S - 1688463

Classifications

eCl@ss

eCl@ss 6.0	19179200
eCl@ss 7.0	19179290
eCl@ss 8.0	19179290
eCl@ss 9.0	19179290

ETIM

ETIM 2.0	EC001121
ETIM 3.0	EC001132
ETIM 4.0	EC002498
ETIM 5.0	EC002608
ETIM 6.0	EC000310
ETIM 7.0	EC000310

UNSPSC

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	43222604
UNSPSC 18.0	43222604
UNSPSC 19.0	43222604
UNSPSC 20.0	43222604
UNSPSC 21.0	43222604

Approvals

Approvals

Approvals


EAC

Ex Approvals

Approval details

D-SUB EMC shroud - VS-09-A-EMV-S - 1688463

Approvals

EAC		B.01742
-----	---	---------