

## Panel mounting frames - VS-08-A-RJ45/LP-1-IP67 - 1689446


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



RJ45 panel mounting frame, IP67, for PCB connection, for square panel cutout, with grommet, without mounting screws, color: gray



### Key Commercial Data

Packing unit	1 pc
Minimum order quantity	5 pc
GTIN	 4 017918 910341
GTIN	4017918910341
Weight per Piece (excluding packing)	4.920 g
Custom tariff number	85389099
Country of origin	Germany

### Technical data

#### Mechanical characteristics

Number of slots	1
Degree of pollution	2
Weight	5.01 g
Flammability rating according to UL 94	V0

#### Ambient conditions

Ambient temperature (operation)	-40 °C ... 80 °C
---------------------------------	------------------

#### Material data

Housing material	PA
Width	32.5 mm

## Panel mounting frames - VS-08-A-RJ45/LP-1-IP67 - 1689446

### Technical data

#### Material data

Height	32.5 mm
Depth	20 mm

#### Electrical characteristics

Degree of pollution	2
---------------------	---

#### Standards and Regulations

Flammability rating according to UL 94	V0
--	----


#### Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

### Drawings


# Panel mounting frames - VS-08-A-RJ45/LP-1-IP67 - 1689446

Dimensional drawing



# Panel mounting frames - VS-08-A-RJ45/LP-1-IP67 - 1689446


Drilling diagram



Drilling plan for VS-08-BU-RJ45-6/LH-1

# Panel mounting frames - VS-08-A-RJ45/LP-1-IP67 - 1689446

Dimensional drawing



Mounting cutout

## Classifications

eCl@ss

eCl@ss 10.0.1	27440210
eCl@ss 4.0	27260700
eCl@ss 4.1	27260700
eCl@ss 5.0	27260700
eCl@ss 5.1	27260700
eCl@ss 6.0	27261200

# Panel mounting frames - VS-08-A-RJ45/LP-1-IP67 - 1689446

## Classifications

### eCl@ss

eCl@ss 7.0	27440210
eCl@ss 8.0	27440210
eCl@ss 9.0	27440210

### ETIM

ETIM 2.0	EC000764
ETIM 3.0	EC001121
ETIM 4.0	EC002310
ETIM 5.0	EC002310
ETIM 6.0	EC002310
ETIM 7.0	EC002310

### UNSPSC

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	39121421
UNSPSC 18.0	39121421
UNSPSC 19.0	39121421
UNSPSC 20.0	39121421
UNSPSC 21.0	39121421

## Approvals

### Approvals

---

Approvals

EAC

---

Ex Approvals

---

### Approval details

EAC		B.01687
-----	--	---------

## Panel mounting frames - VS-08-A-RJ45/LP-1-IP67 - 1689446

### Accessories

#### Accessories

#### Female insert

RJ45 PCB connectors - VS-08-BU-RJ45-6/LH-1 - 1653087



RJ45 PCB connectors, type: RJ45, degree of protection: IP20, number of positions: 8, 1 Gbps, CAT5 (IEC 11801:2002), connection method: Solder connection

---

### Protective cover

Protective covers - VS-08-SD - 1689200



Protective cover, IP67, tall design

---

Protective covers - VS-08-SD-F - 1652606



Protective cover, IP67, flat design, to cover the contact insert in the panel mounting frame, color: gray