

## Seal - ASI SACB KABEL-ENDDICHTUNG - 1692336


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



End sealing for AS-Interface flat-ribbon conductor, can be used on both sides, color:Black



### Key Commercial Data

Packing unit	1 pc
Minimum order quantity	100 pc
GTIN	 4 017918 446499
GTIN	4017918446499
Custom tariff number	40169300
Country of origin	Italy

### Technical data

#### Ambient conditions

Ambient temperature (operation)	-40 °C ... 110 °C (Seal)
---------------------------------	--------------------------

#### Material

Sealing material	TPE
------------------	-----

#### Cable

Special properties	FDA compliant
Other resistance	Resistant to ozone

#### Standards and Regulations

Other resistance	Resistant to ozone
------------------	--------------------

#### Environmental Product Compliance

# Seal - ASI SACB KABEL-ENDDICHTUNG - 1692336


## Technical data

### Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

## Drawings

Dimensional drawing



## Classifications

### eCl@ss

eCl@ss 10.0.1	27440192
eCl@ss 4.0	27378000
eCl@ss 4.1	27378000
eCl@ss 5.0	27379100
eCl@ss 5.1	27379100
eCl@ss 6.0	27379200
eCl@ss 7.0	27379201
eCl@ss 8.0	27379201
eCl@ss 9.0	27440192

### ETIM

ETIM 2.0	EC000200
----------	----------

## Seal - ASI SACB KABEL-ENDDICHTUNG - 1692336

### Classifications

#### ETIM

ETIM 3.0	EC001856
ETIM 4.0	EC002498
ETIM 5.0	EC002498
ETIM 6.0	EC002498
ETIM 7.0	EC002498

#### UNSPSC

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	39121421
UNSPSC 18.0	39121421
UNSPSC 19.0	39121421
UNSPSC 20.0	39121421
UNSPSC 21.0	39121421