

Pitch spacer - RZ-KDS 4 - 1705058


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Pitch spacer, raises the pitch by 2.5 mm, interlocks with terminal block of the same shape, color: green



Key Commercial Data

Packing unit	1 pc
Minimum order quantity	100 pc
GTIN	 4 017918 023249
GTIN	4017918023249
Weight per Piece (excluding packing)	0.650 g
Custom tariff number	85389099
Country of origin	Poland

Technical data

Dimensions

Pitch	0 mm
-------	------

General

Range of articles	DECKEL + RZ + DP
Nominal cross section	4 mm ²
Flammability rating according to UL 94	V0
Number of positions	1

Standards and Regulations

Flammability rating according to UL 94	V0
--	----

Environmental Product Compliance

Pitch spacer - RZ-KDS 4 - 1705058

Technical data

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Classifications

eCl@ss

eCl@ss 10.0.1	27440392
eCl@ss 4.0	21011300
eCl@ss 4.1	21011300
eCl@ss 5.0	27141100
eCl@ss 5.1	27141100
eCl@ss 6.0	27141100
eCl@ss 7.0	27141133
eCl@ss 8.0	27440290
eCl@ss 9.0	27440392

ETIM

ETIM 3.0	EC000886
ETIM 4.0	EC000886
ETIM 5.0	EC002309
ETIM 6.0	EC000886
ETIM 7.0	EC000886

UNSPSC

UNSPSC 6.01	30211801
UNSPSC 7.0901	39121432
UNSPSC 11	39121432
UNSPSC 12.01	39121432
UNSPSC 13.2	39121425
UNSPSC 18.0	39121421
UNSPSC 19.0	39121421
UNSPSC 20.0	39121421
UNSPSC 21.0	39121421

Approvals

Approvals

Pitch spacer - RZ-KDS 4 - 1705058

Approvals

Approvals

EAC

Ex Approvals

Approval details

EAC		B.01687
-----	---	---------
