

## Fuse holder - SI-H-FKS 30 - 1727528

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Printed circuit fuse carrier, for 5 mm wide automotive flat-type fuses up to max. 30 A

### Your advantages

- Fuse holder for flat-type fuses with a maximum nominal voltage of 32 V

### Key Commercial Data

Packing unit	1 pc
GTIN	 4 017918 025700
GTIN	4017918025700
Weight per Piece (excluding packing)	3.228 g
Custom tariff number	85369095
Country of origin	Mexico

### Technical data


#### Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

### Drawings


# Fuse holder - SI-H-FKS 30 - 1727528

Drilling diagram



# Fuse holder - SI-H-FKS 30 - 1727528

Dimensional drawing



## Classifications

eCl@ss

eCl@ss 10.0.1	27142107
eCl@ss 4.0	27142100
eCl@ss 4.1	27142100
eCl@ss 5.0	27142100
eCl@ss 5.1	27142100
eCl@ss 6.0	27142100
eCl@ss 7.0	27142107
eCl@ss 8.0	27142107
eCl@ss 9.0	27142107

ETIM

ETIM 3.0	EC002298
ETIM 4.0	EC002498
ETIM 5.0	EC000036
ETIM 6.0	EC000036

# Fuse holder - SI-H-FKS 30 - 1727528

## Classifications

### ETIM

ETIM 7.0	EC000036
----------	----------

### UNSPSC

UNSPSC 6.01	30211810
UNSPSC 7.0901	39121409
UNSPSC 11	39121409
UNSPSC 12.01	39121409
UNSPSC 13.2	39121409

## Approvals


### Approvals


#### Approvals

UL Recognized / EAC

#### Ex Approvals

### Approval details

UL Recognized		<a href="http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm">http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm</a>	FILE E 60425
	B	C	
Nominal voltage UN	32 V	300 V	
Nominal current IN	30 A	30 A	

EAC		B.01687
-----	---	---------

## Accessories

### Accessories

Fuse

## Fuse holder - SI-H-FKS 30 - 1727528

### Accessories

Fuse - SI FORM C 2 A - 0913689



Flat-type plug-in fuse, type C, color code: gray, nominal current: 2 A

---

Fuse - SI FORM C 4 A DIN 72581 - 0913731



Flat-type plug-in fuse, type C, color code: pink, nominal current: 4 A

---

Fuse - SI FORM C 5 A DIN 72581 - 0913692



Flat-type plug-in fuse, type C, color code: light brown, nominal current: 5 A

---

Fuse - SI FORM C 7,5 A DIN 72581 - 0913702



Flat-type plug-in fuse, type C, color code: brown, nominal current: 7.5 A

---

Fuse - SI FORM C 10 A DIN 72581 - 0913715



Flat-type plug-in fuse, type C, color code: red, nominal current: 10 A

---

## Fuse holder - SI-H-FKS 30 - 1727528

### Accessories

Fuse - SI FORM C 15 A DIN 72581 - 0913676



Flat-type plug-in fuse, type C, color code: light blue, nominal current: 15 A

---

Fuse - SI FORM C 20 A DIN 72581 - 0913744



Flat-type plug-in fuse, type C, color code: yellow, nominal current: 20 A

---

Fuse - SI FORM C 25 A DIN 72581 - 0913757



Flat-type plug-in fuse, type C, color code: white, nominal current: 25 A

---

Fuse - SI FORM C 30 A DIN 72581 - 0913760



Flat-type plug-in fuse, type C, color code: light green, nominal current: 30 A

---