

Seal - VS-15-PR-DI - 1887112


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

D-SUB profile gasket, shell size 2, for panel mounting frame VS-15-...



RoHS

Key Commercial Data

Packing unit	1
GTIN	 4 017918 847210
GTIN	4017918847210
Custom tariff number	40169300

Technical data

Mechanical characteristics

Weight	0.936 g
--------	---------

Ambient conditions

Ambient temperature (operation)	-40 °C ... 80 °C
---------------------------------	------------------

Material data


Width	21.3 mm
Height	50.5 mm
Length	2.95 mm

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Drawings

Seal - VS-15-PR-DI - 1887112



D-SUB grommet

Classifications

eCl@ss

eCl@ss 10.0.1	27430319
eCl@ss 4.0	23071400
eCl@ss 4.1	23071400
eCl@ss 5.0	23079000
eCl@ss 5.1	23079000
eCl@ss 6.0	23079000
eCl@ss 7.0	27439218
eCl@ss 8.0	27439218
eCl@ss 9.0	27430319

ETIM

ETIM 2.0	EC001181
ETIM 3.0	EC001181
ETIM 4.0	EC001181
ETIM 5.0	EC001181
ETIM 6.0	EC001181
ETIM 7.0	EC001181

UNSPSC

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501

Seal - VS-15-PR-DI - 1887112

Classifications

UNSPSC

UNSPSC 12.01	31261501
UNSPSC 13.2	39131608
UNSPSC 18.0	39131608
UNSPSC 19.0	39131608
UNSPSC 20.0	39131608
UNSPSC 21.0	39131608

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approval details

EAC		B.01742
-----	---	---------
