

Distributed I/O device - ASI IO ME DIO 4/3 AB - 2741668

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Digital input/output module, degree of protection IP20, 4 digital inputs, 24 V DC, 3 digital outputs, 24 V DC, COMBICON plugs included

Your advantages

- ✓ 12.5 mm design width
- ✓ Optimized for DIN rail mounting
- ✓ COMBICON connection technology for the I/Os
- ✓ COMBICON connection technology for AS-Interface



Key Commercial Data

Packing unit	1 pc
GTIN	
GTIN	4017918915261
Weight per Piece (excluding packing)	162.800 g
Custom tariff number	85176200
Country of origin	Indonesia

Technical data

Note

Utilization restriction	EMC: class A product, see manufacturer's declaration in the download area
-------------------------	---

Dimensions

Width	22.5 mm
Height	102 mm
Depth	105 mm

Distributed I/O device - ASI IO ME DIO 4/3 AB - 2741668

Technical data

AS-Interface

Slave type	A/B slave
AS-i specification	2.1
IO code	7
ID1 code	7
ID2 code	0
ID code (hex)	A
ID code (dec.)	10
AS-i profile	S-7.A.0
Required master specification	>= 2.0

Standards and Regulations

Protection class	III (IEC 61140, EN 61140, VDE 0140-1)
------------------	---------------------------------------

Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Classifications

eCl@ss

eCl@ss 10.0.1	27242604
eCl@ss 4.0	27250300
eCl@ss 4.1	27250300
eCl@ss 5.0	27250300
eCl@ss 5.1	27242600
eCl@ss 6.0	27242600
eCl@ss 7.0	27242604
eCl@ss 8.0	27242604
eCl@ss 9.0	27242604

ETIM

ETIM 2.0	EC001430
ETIM 3.0	EC001599
ETIM 4.0	EC001599
ETIM 5.0	EC001599
ETIM 6.0	EC001599
ETIM 7.0	EC001599

Distributed I/O device - ASI IO ME DIO 4/3 AB - 2741668

Classifications

UNSPSC

UNSPSC 6.01	43172015
UNSPSC 7.0901	43201404
UNSPSC 11	43172015
UNSPSC 12.01	43201404
UNSPSC 13.2	32151602
UNSPSC 18.0	32151602
UNSPSC 19.0	32151602
UNSPSC 20.0	32151602
UNSPSC 21.0	32151602

Approvals

Approvals

Approvals

UL Listed / cUL Listed / ASI-Interface / UL Listed / cUL Listed / ASI-Interface


Ex Approvals


UL Listed / cUL Listed / UL Listed / cUL Listed

Approval details

UL Listed		http://database.ul.com/cgi-bin/XYVV/template/LISEXT/1FRAME/index.htm	FILE E 238705
-----------	---	---	---------------

cUL Listed		http://database.ul.com/cgi-bin/XYVV/template/LISEXT/1FRAME/index.htm	FILE E 238705
------------	---	---	---------------

ASI-Interface			49401/ 26.05.03
---------------	---	--	-----------------

UL Listed		http://database.ul.com/cgi-bin/XYVV/template/LISEXT/1FRAME/index.htm	FILE E 238705
-----------	---	---	---------------

Distributed I/O device - ASI IO ME DIO 4/3 AB - 2741668

Approvals

cUL Listed		http://database.ul.com/cgi-bin/XYVV/template/LISEXT/1FRAME/index.htm	FILE E 238705
------------	--	---	---------------

ASI-Interface			49401/ 26.05.03
---------------	--	--	-----------------

Accessories

Accessories

Addressing device

Manual addressing device - ASI CC ADR - 2741338



Manual addressing device, for AS-i modules

Programming cable

Cable for programming - ASI CC ADR CAB CINCH - 2741341



Cinch connecting cable, for addressing FLX ASI M12 devices