

Cable - IBS PWR/5 - 2820000


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Power supply cable, gray, welding-splash-resistant in standard applications, 5 x 1.5 mm², sold by the meter



Key Commercial Data

Packing unit	1 M
GTIN	 4 017918 188672
GTIN	4017918188672
Weight per Piece (excluding packing)	167.600 g
Custom tariff number	85444991
Country of origin	Germany

Technical data

Cable type

Shielded	no
----------	----

External sheath

External sheath, color	black
------------------------	-------

Single wire

Single wire, color	Black 1, black 2, black 3, black 4, green/yellow
--------------------	--

General

Conductor length	variable
------------------	----------

Standards and Regulations

Connection in acc. with standard	CUL
----------------------------------	-----

Cable - IBS PWR/5 - 2820000

Technical data

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Classifications

eCl@ss

eCl@ss 10.0.1	27060106
eCl@ss 4.0	27060300
eCl@ss 4.1	27060300
eCl@ss 5.0	27060300
eCl@ss 5.1	27060300
eCl@ss 6.0	27062000
eCl@ss 7.0	27062011
eCl@ss 8.0	27062011
eCl@ss 9.0	27062011

ETIM

ETIM 2.0	EC000304
ETIM 3.0	EC000830
ETIM 4.0	EC000830
ETIM 5.0	EC001578
ETIM 6.0	EC001578
ETIM 7.0	EC003250

UNSPSC

UNSPSC 6.01	43172015
UNSPSC 7.0901	43201404
UNSPSC 11	39121311
UNSPSC 12.01	39121311
UNSPSC 13.2	39121311
UNSPSC 18.0	39121465
UNSPSC 19.0	39121465
UNSPSC 20.0	39121465
UNSPSC 21.0	39121465

Approvals

Approvals

Cable - IBS PWR/5 - 2820000



Approvals

Approvals

UL Recognized / cUL Recognized / cULus Recognized

Ex Approvals

Approval details

UL Recognized		http://database.ul.com/cgi-bin/XYVV/template/LISEXT/1FRAME/index.htm	FILE E 342704
cUL Recognized		http://database.ul.com/cgi-bin/XYVV/template/LISEXT/1FRAME/index.htm	FILE E 342704
cULus Recognized	