

Shield connection - SSA 3-6/S1 - 2859233


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Shield fast connection for 3 ... 6 mm cable diameter. Potential connecting cable: 250 mm, 1 mm², color: green/yellow



RoHS

Key Commercial Data

Packing unit	1 pc
Minimum order quantity	10 pc
GTIN	 4 017918 924379
GTIN	4017918924379
Weight per Piece (excluding packing)	5.900 g
Custom tariff number	85444290
Country of origin	Germany

Technical data

General

Mounting type	on cable
Type	Adapter

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Classifications

eCl@ss

eCl@ss 4.0	27140200
------------	----------

Shield connection - SSA 3-6/S1 - 2859233

Classifications

eCl@ss

eCl@ss 4.1	27140200
eCl@ss 5.0	27140200
eCl@ss 5.1	27140200
eCl@ss 6.0	27149200
eCl@ss 7.0	27149236
eCl@ss 8.0	27149239
eCl@ss 9.0	27139202

ETIM

ETIM 2.0	EC000490
ETIM 3.0	EC000490
ETIM 4.0	EC000490
ETIM 5.0	EC002497
ETIM 6.0	EC000490
ETIM 7.0	EC000490

UNSPSC

UNSPSC 6.01	30212010
UNSPSC 7.0901	39121610
UNSPSC 11	39121613
UNSPSC 12.01	39121613
UNSPSC 13.2	39121613
UNSPSC 18.0	39121620
UNSPSC 19.0	39121620
UNSPSC 20.0	39121620
UNSPSC 21.0	39121620

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approval details

Shield connection - SSA 3-6/S1 - 2859233

Approvals

EAC



RU C-
DE.A*30.B00767