

## Antenna cable - RAD-CON-MCX-N-SS - 2867254

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Antenna cable, outside diameter: 2.5 mm (0.1 in.), inner conductor: stranded, attenuation: 0.9 dB at 900 MHz, connection: MCX (male) -> N (male), cable length: 1.2 m (4 ft.)

### Your advantages

- ✓ Easy installation, thanks to flexible inner conductor
- ✓ For indoors

### Key Commercial Data

Packing unit	1 pc
GTIN	 4 017918 931797
GTIN	4017918931797
Weight per Piece (excluding packing)	56.000 g
Custom tariff number	85442000
Country of origin	United States

### Technical data

#### Dimensions

Fixed cable length	1.2 m
External diameter	2.50 mm

#### Ambient conditions

Ambient temperature (operation)	-40 °C ... 75 °C
Ambient temperature (storage/transport)	-40 °C ... 70 °C

#### General

Connection 1	Connector connection
--------------	----------------------

# Antenna cable - RAD-CON-MCX-N-SS - 2867254

## Technical data

### General

Connection method	MCX (male)
Connection 2	Connector connection
Connection method	Type N (male)
Cable type	RG 316
Outer sheath, material	Fluorinated ethylene propylene (FEP)
Minimum bending radius	25.40 mm
Frequency range	0.1 GHz ... 1 GHz
Impedance	50 Ω

### Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50 years
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

## Classifications

### eCl@ss

eCl@ss 10.0.1	27060310
eCl@ss 4.0	27060800
eCl@ss 4.1	27060800
eCl@ss 5.0	27061800
eCl@ss 5.1	27061800
eCl@ss 6.0	27061800
eCl@ss 7.0	27061805
eCl@ss 8.0	27060310
eCl@ss 9.0	27060310

### ETIM

ETIM 2.0	EC000019
ETIM 3.0	EC000019
ETIM 4.0	EC000019
ETIM 5.0	EC001682
ETIM 6.0	EC001682
ETIM 7.0	EC001682

### UNSPSC

UNSPSC 6.01	26121608
UNSPSC 7.0901	26121608

## Antenna cable - RAD-CON-MCX-N-SS - 2867254

### Classifications

#### UNSPSC

UNSPSC 11	26121608
UNSPSC 12.01	26121608
UNSPSC 13.2	26121606
UNSPSC 18.0	26121606
UNSPSC 19.0	26121606
UNSPSC 20.0	26121606
UNSPSC 21.0	26121606