

Surge protection PCB - D-LAN-19"-D-P - 2880192

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Replacement PCB for ""D-LAN-19""..."" products. Assembly with four surge-protected ports for data interfaces in acc. with Cat.5/EN 50 17 3 (100Base-T) incl. RJ45 connection sockets.

Your advantages

- ☑ Up to 24 ports with RJ45 connection
- Indirect grounding via a gas-filled surge arrester in the housing
- ☑ Direct grounding via a connection on the housing



Key Commercial Data

Packing unit	1 pc	
GTIN	4 017918 963613	
GTIN	4017918963613	
Weight per Piece (excluding packing)	125.800 g	
Custom tariff number	85363010	
Country of origin	Germany	

Technical data

Environmental Product Compliance

REACh SVHC	Lead 7439-92-1	
China RoHS	Environmentally Friendly Use Period = 50 years	
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"	



Surge protection PCB - D-LAN-19"-D-P - 2880192

Classifications

eCl@ss

eCl@ss 10.0.1	27371392
eCl@ss 4.0	27378000
eCl@ss 4.1	27378000
eCl@ss 5.0	27379100
eCl@ss 5.1	27379100
eCl@ss 6.0	27379200
eCl@ss 7.0	27379201
eCl@ss 8.0	27379201
eCl@ss 9.0	27379201

ETIM

ETIM 2.0	EC000943
ETIM 3.0	EC000943
ETIM 4.0	EC002498
ETIM 5.0	EC002498
ETIM 6.0	EC002498
ETIM 7.0	EC002498

UNSPSC

UNSPSC 6.01	30212010
UNSPSC 7.0901	39121610
UNSPSC 11	39121610
UNSPSC 12.01	39121610
UNSPSC 13.2	39121421
UNSPSC 18.0	39121421
UNSPSC 19.0	39121421
UNSPSC 20.0	39121421
UNSPSC 21.0	39121421

Approvals

Approvals

Approvals

EAC

Ex Approvals



Surge protection PCB - D-LAN-19"-D-P - 2880192

Approvals		
Approval details		
EAC	EAC	RU C- DE.A*30.B01561

Phoenix Contact 2020 © - all rights reserved http://www.phoenixcontact.com