

Antenna cable - RAD-PIG-EF316-SMA-SMA - 2885618

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Adapter cable, 50 cm pigtail, SMA (male) -> SMA (male), 50 Ω impedance



The figure shows a version of the product

Your advantages

- As an adapter between devices and cables



Key Commercial Data

| | |
|--------------------------------------|---|
| Packing unit | 1 pc |
| GTIN |  4 046356 049986 |
| GTIN | 4046356049986 |
| Weight per Piece (excluding packing) | 27.200 g |
| Custom tariff number | 85442000 |
| Country of origin | Poland |

Technical data

Dimensions

| | |
|--------------------|---------|
| Fixed cable length | 50 cm |
| External diameter | 2.50 mm |

Ambient conditions

| | |
|---|------------------|
| Ambient temperature (operation) | -40 °C ... 70 °C |
| Ambient temperature (storage/transport) | -40 °C ... 70 °C |

General

| | |
|--------------|----------------------|
| Connection 1 | Connector connection |
|--------------|----------------------|

Antenna cable - RAD-PIG-EF316-SMA-SMA - 2885618

Technical data

General

| | |
|------------------------|----------------------|
| Connection method | SMA (male) |
| Connection 2 | Connector connection |
| Connection method | SMA (male) |
| Cable type | EF 316 |
| Outer sheath, material | RADOX®(LSFH) |
| External sheath, color | blue |
| Minimum bending radius | 12.50 mm |
| Frequency range | 900 MHz |
| | 2.4 GHz |
| | 5 GHz |
| Impedance | 50 Ω |

Attenuation

| | |
|---------------|--------|
| 868 / 900 MHz | 0.6 dB |
| 2.4 GHz | 1 dB |
| 5 GHz | 1.4 dB |

Environmental Product Compliance

| | |
|------------|---|
| REACH SVHC | Lead 7439-92-1 |
| China RoHS | Environmentally Friendly Use Period = 25; |
| | For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration" |

Classifications

eCl@ss

| | |
|---------------|----------|
| eCl@ss 10.0.1 | 27060310 |
| eCl@ss 4.0 | 27060800 |
| eCl@ss 4.1 | 27060800 |
| eCl@ss 5.0 | 27061800 |
| eCl@ss 5.1 | 27061800 |
| eCl@ss 6.0 | 27061800 |
| eCl@ss 7.0 | 27061805 |
| eCl@ss 8.0 | 27060310 |
| eCl@ss 9.0 | 27060310 |

ETIM

| | |
|----------|----------|
| ETIM 2.0 | EC000019 |
| ETIM 3.0 | EC000019 |

Antenna cable - RAD-PIG-EF316-SMA-SMA - 2885618

Classifications

ETIM

| | |
|----------|----------|
| ETIM 4.0 | EC000019 |
| ETIM 5.0 | EC001682 |
| ETIM 6.0 | EC001682 |
| ETIM 7.0 | EC001682 |

UNSPSC

| | |
|---------------|----------|
| UNSPSC 6.01 | 26121608 |
| UNSPSC 7.0901 | 26121608 |
| UNSPSC 11 | 26121608 |
| UNSPSC 12.01 | 26121608 |
| UNSPSC 13.2 | 26121606 |
| UNSPSC 18.0 | 26121606 |
| UNSPSC 19.0 | 26121606 |
| UNSPSC 20.0 | 26121606 |
| UNSPSC 21.0 | 26121606 |