

Short-circuit connector - FBSRH 4-8 - 3033804

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Short-circuit connector, pitch: 8.2 mm, width: 31.1 mm, number of positions: 4, color: red

Your advantages

The bridge has a molded extraction tool which means that it can be used conveniently and without tools for individual bridging tasks



Key Commercial Data

Packing unit	1 pc
Minimum order quantity	10 pc
GTIN	4 046356 666930
GTIN	4046356666930
Weight per Piece (excluding packing)	6.000 g
Custom tariff number	85366990
Country of origin	China

Technical data

Technical data

Color	red	
Number of positions	4	
Pitch	8.2 mm	
Height	40.3 mm	
Width	31.1 mm	
Maximum load current	32 A (The current values for the jumpers can deviate when used in different modular terminal blocks. The precise values can be found in the accessories data for the respective modular terminal blocks.)	



Short-circuit connector - FBSRH 4-8 - 3033804

Technical data

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e	
	No hazardous substances above threshold values	

Classifications

eCl@ss

eCl@ss 10.0.1	27141140
eCl@ss 4.0	27141100
eCl@ss 4.1	27141100
eCl@ss 5.0	27141100
eCl@ss 5.1	27141100
eCl@ss 6.0	27141100
eCl@ss 7.0	27141140
eCl@ss 8.0	27141140
eCl@ss 9.0	27141140

ETIM

ETIM 3.0	EC000489
ETIM 4.0	EC000489
ETIM 5.0	EC000489
ETIM 6.0	EC000489
ETIM 7.0	EC000489

UNSPSC

UNSPSC 6.01	30211829
UNSPSC 7.0901	39121426
UNSPSC 11	39121426
UNSPSC 12.01	39121426
UNSPSC 13.2	39121426
UNSPSC 18.0	39121426
UNSPSC 19.0	39121426
UNSPSC 20.0	39121426
UNSPSC 21.0	39121426

Approvals

Approvals



Short-circuit connector - FBSRH 4-8 - 3033804

Approvals				
Approvals				
EAC / EAC				
Ex Approvals				
Approval details				
EAC	EAC		EAC-Zulassung	
EAC	EAC		RU C- DE.A*30.B.01742	
Accessories				
Accessories				
Cutting tools				
Front cutter - CUTFOX-FBS - 1212124				
Cutting tool, for separating individual jumper bars from FBS plug-in bridges and EB insertion bridges		bridges		

Phoenix Contact 2020 © - all rights reserved http://www.phoenixcontact.com