

Connection element - HV M12/1-VS 3 - 3049644

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Connection element, length: 96 mm, width: 25 mm, height: 4 mm, number of positions: 3, color: silver



Key Commercial Data

| | |
|--------------------------------------|---------------------------------------------------------------------------------------------------------|
| Packing unit | 1 pc |
| Minimum order quantity | 10 pc |
| GTIN |  4 046356 313537 |
| GTIN | 4046356313537 |
| Weight per Piece (excluding packing) | 72.700 g |
| Custom tariff number | 85369010 |
| Country of origin | Germany |

Technical data

Technical data

| | |
|----------------------|---------|
| Color | silver |
| Material | Copper |
| Number of positions | 3 |
| Length | 96 mm |
| Height | 4 mm |
| Width | 25 mm |
| Hole diameter | 12.6 mm |
| Drill hole spacing | 34 mm |
| Maximum load current | 269 A |

Environmental Product Compliance

Connection element - HV M12/1-VS 3 - 3049644

Technical data

Environmental Product Compliance

| | |
|------------|---------------------------------------------------------|
| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
| | No hazardous substances above threshold values |

Classifications

eCl@ss

| | |
|---------------|----------|
| eCl@ss 10.0.1 | 27141190 |
| eCl@ss 4.0 | 27141100 |
| eCl@ss 4.1 | 27141100 |
| eCl@ss 5.0 | 27141100 |
| eCl@ss 5.1 | 27141100 |
| eCl@ss 6.0 | 27141100 |
| eCl@ss 7.0 | 27141190 |
| eCl@ss 8.0 | 27141190 |
| eCl@ss 9.0 | 27141190 |

ETIM

| | |
|----------|----------|
| ETIM 3.0 | EC000886 |
| ETIM 4.0 | EC000886 |
| ETIM 5.0 | EC002848 |
| ETIM 6.0 | EC002848 |
| ETIM 7.0 | EC002848 |

UNSPSC

| | |
|---------------|----------|
| UNSPSC 6.01 | 30211827 |
| UNSPSC 7.0901 | 39121424 |
| UNSPSC 11 | 39121424 |
| UNSPSC 12.01 | 39121424 |
| UNSPSC 13.2 | 39121410 |
| UNSPSC 18.0 | 39121410 |
| UNSPSC 19.0 | 39121410 |
| UNSPSC 20.0 | 39121410 |
| UNSPSC 21.0 | 39121410 |

Approvals

Approvals

Connection element - HV M12/1-VS 3 - 3049644

Approvals

Approvals

EAC

Ex Approvals

Approval details

| | | |
|-----|-----------------------------------------------------------------------------------|--------------------------|
| EAC |  | RU C- DE.A*30.B.01742 |
|-----|-----------------------------------------------------------------------------------|--------------------------|
