

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Fork-type cable lug, yellow, 4 - 6 mm<sup>2</sup>, M5

#### Your advantages

The fork-type cable lugs without plastic sleeve feature a hard-soldered neck. In conjunction with the CRIMPFOX-RC ... and CRIMPFOX-RCI ... pliers they can be used to achieve maximum conductor pull-out forces



### **Key Commercial Data**

Packing unit	1 pc
Minimum order quantity	50 pc
GTIN	4 046356 452601
GTIN	4046356452601
Weight per Piece (excluding packing)	0.080 g
Custom tariff number	85369010
Country of origin	China

### Technical data

#### **Dimensions**

Length (b)	26.7 mm
Width (a)	9 mm
Maximum stripping length	9 mm
Length of insulation sleeve (c)	14 mm
Inner dimension of the insulating collar (d)	6.6 mm
Distance between the center and the insulation sleeve (e)	8 mm



# Technical data

### Dimensions

Inner diameter (f)	5.3 mm
Material thickness (g)	1 mm

### General

Color	yellow
Stripping length	9 mm
Components	halogen-free
Flammability rating according to UL 94	V2
Material	Copper
Insulating material	PA
Coating	tin-plated

### Standards and Regulations

Flammability rating according to UL 94	V2


### **Environmental Product Compliance**


China RoHS	Environmentally friendly use period: unlimited = EFUP-e	
	No hazardous substances above threshold values	

# Drawings



### Dimensional drawing





# Classifications

### eCl@ss

eCl@ss 10.0.1	27400204
eCl@ss 4.0	27060700
eCl@ss 4.1	27060700
eCl@ss 5.0	27400200
eCl@ss 5.1	27400200
eCl@ss 6.0	27400200
eCl@ss 7.0	27400204
eCl@ss 8.0	27400204
eCl@ss 9.0	27400204

### **ETIM**

ETIM 2.0	EC000005	



### Classifications

### **ETIM**

ETIM 3.0	EC000005
ETIM 4.0	EC001052
ETIM 5.0	EC001052
ETIM 6.0	EC001052
ETIM 7.0	EC001052

### UNSPSC

UNSPSC 6.01	27113201
UNSPSC 7.0901	27121703
UNSPSC 11	27121703
UNSPSC 12.01	27121703
UNSPSC 13.2	27121707
UNSPSC 18.0	27121707
UNSPSC 19.0	27121707
UNSPSC 20.0	27121707
UNSPSC 21.0	27121707

Approvais			
Approvals			
Approvals			
EAC			
Ex Approvals			

### Approval details

EAE EAC **EAC-Zulassung** 

Phoenix Contact 2020 © - all rights reserved http://www.phoenixcontact.com