

## Protective hose - WP-STEEL ZC 21 - 3240699


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Protective hose in galvanized steel



### Key Commercial Data

Packing unit	1 M
Minimum order quantity	10 M
GTIN	 4 046356 737197
GTIN	4046356737197
Weight per Piece (excluding packing)	2,139.500 g
Custom tariff number	83071000
Country of origin	Germany

### Technical data

#### Dimensions

Inner diameter (f)	18 mm
Outside diameter	21 mm

#### Ambient conditions

Ambient temperature (operation)	-200 °C ... 220 °C
Degree of protection	IP40

#### General

Color	silver
Type	Spirals
Components	halogen-free

# Protective hose - WP-STEEL ZC 21 - 3240699

## Technical data

### General

Material	Steel, galvanized
Bending radius, static	40 mm
Bending radius, dynamic	100 mm
Tensile strength	500 N

### Standards and Regulations

Halogen-free	yes
--------------	-----

## Classifications

### eCl@ss

eCl@ss 10.0.1	27430301
eCl@ss 4.0	27140900
eCl@ss 4.1	27140900
eCl@ss 5.0	27140900
eCl@ss 5.1	27140900
eCl@ss 6.0	27140900
eCl@ss 7.0	27430301
eCl@ss 8.0	27430301
eCl@ss 9.0	27430301

### ETIM

ETIM 3.0	EC000897
ETIM 4.0	EC001179
ETIM 5.0	EC001179
ETIM 6.0	EC001179
ETIM 7.0	EC001179

### UNSPSC

UNSPSC 6.01	30211812
UNSPSC 7.0901	39121410
UNSPSC 11	39121411
UNSPSC 12.01	39121411
UNSPSC 13.2	40141734
UNSPSC 18.0	40141734
UNSPSC 19.0	40141734
UNSPSC 20.0	40141734
UNSPSC 21.0	40141734

## Protective hose - WP-STEEL ZC 21 - 3240699

### Approvals

#### Approvals

---

#### Approvals

VDE Zeichengenehmigung

---

#### Ex Approvals

---

### Approval details

VDE Zeichengenehmigung



<http://www2.vde.com/de/Institut/Online-Service/VDE-gepruefteProdukte/Seiten/Online-Suche.aspx>

### Accessories

#### Accessories

##### Corrugated pipe screw connection

Screw connection - WP-G BRASS IP40 PG16 - 3241040



Cable gland made from brass with Pg thread, IP40 protection

---

Screw connection - WP-G BRASS IP40 M20 - 3241047



Cable gland made from brass with metric thread, IP40 protection

---

## Protective hose - WP-STEEL ZC 21 - 3240699

### Accessories

Screw connection - WP-GT BRASS PG16 - 3241026



Cable gland made from brass with Pg thread, rotatable, IP40 protection

---

Screw connection - WP-GT BRASS M20 - 3241033



Cable gland made from brass with metric thread, rotatable, IP40 protection

---

### Mounting material

Hose clamp - WP-BASE HF 22 - 3240970



Hose clamps

---

Protective hose fixing bracket - WP-BASE A PG16 - 3241079



Fixing bracket for protective sleeves, fixed with two screws

---

Protective hose fixing bracket - WP-BASE A M20 - 3241084



Fixing bracket for protective sleeves, fixed with two screws

---

## Protective hose - WP-STEEL ZC 21 - 3240699

### Accessories

#### Protective cap

#### Cable protection end sleeve - WP-SC BRASS 21 - 3241068



End sleeves as cable protection, made of brass