

Cable binder base - WT-BASE HF 9 - 3240704


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Cable binder base, for cable binders up to 9 mm wide, screwable, 5 mm fixing hole, 2-sided cable binder feed-through



Key Commercial Data

| | |
|--------------------------------------|---|
| Packing unit | 1 pc |
| Minimum order quantity | 100 pc |
| GTIN |  4 046356 703918 |
| GTIN | 4046356703918 |
| Weight per Piece (excluding packing) | 1.400 g |
| Custom tariff number | 39269097 |
| Country of origin | Italy |

Technical data

Dimensions

| | |
|---------------|---------|
| Length (b) | 22.5 mm |
| Width (a) | 14.6 mm |
| Height (c) | 11 mm |
| Hole diameter | 5 mm |

Ambient conditions

| | |
|---------------------------------|------------------|
| Ambient temperature (operation) | -40 °C ... 85 °C |
| Ambient temperature (assembly) | -10 °C ... 60 °C |

General

| | |
|-------|-------------|
| Color | transparent |
|-------|-------------|

Cable binder base - WT-BASE HF 9 - 3240704

Technical data

General

| | |
|--|--------------------------------|
| Type | Fixing |
| Components | free from silicone and halogen |
| Flammability rating according to UL 94 | V2 |
| Material | PA 6.6 |
| Tensile strength | 0 N |

Standards and Regulations

| | |
|--|----|
| Flammability rating according to UL 94 | V2 |
|--|----|

Environmental Product Compliance

| | |
|------------|---|
| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
| | No hazardous substances above threshold values |

Classifications

eCl@ss

| | |
|---------------|----------|
| eCl@ss 10.0.1 | 23159007 |
| eCl@ss 4.0 | 27140700 |
| eCl@ss 4.1 | 27140700 |
| eCl@ss 5.0 | 27140700 |
| eCl@ss 5.1 | 27140700 |
| eCl@ss 6.0 | 27140700 |
| eCl@ss 7.0 | 23159007 |
| eCl@ss 8.0 | 23159007 |
| eCl@ss 9.0 | 23159007 |

ETIM

| | |
|----------|----------|
| ETIM 3.0 | EC000046 |
| ETIM 4.0 | EC000046 |
| ETIM 5.0 | EC000046 |
| ETIM 6.0 | EC000449 |
| ETIM 7.0 | EC000449 |

UNSPSC

| | |
|---------------|----------|
| UNSPSC 6.01 | 30212109 |
| UNSPSC 7.0901 | 27121703 |
| UNSPSC 11 | 27121703 |
| UNSPSC 12.01 | 27121703 |
| UNSPSC 13.2 | 27121703 |

Cable binder base - WT-BASE HF 9 - 3240704

Classifications

UNSPSC

| | |
|-------------|----------|
| UNSPSC 19.0 | 39121731 |
|-------------|----------|