

## Screw connection - WP-GT PP HF PG7 - 3241002


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Cable gland made from PP with Pg thread, rotatable, IP54 protection



### Key Commercial Data

|                        |   |
|------------------------|---|
| Packing unit           | 1 pc  |
| Minimum order quantity | 10 pc   |
| GTIN                   | <br>4 046356 711340 |
| GTIN                   | 4046356711340   |
| Custom tariff number   | 39174000  |
| Country of origin      | Germany   |

### Technical data

#### Dimensions

|                  |                   |
|------------------|-------------------|
| Width (a)        | 17.5 mm           |
| Height (c)       | 38 mm             |
| Wrench size      | 16 mm             |
| Outside diameter | 10 mm             |
| Cable diameter   | 5.5 mm ... 5.5 mm |

#### Ambient conditions

|                                 |                   |
|---------------------------------|-------------------|
| Ambient temperature (operation) | -10 °C ... 110 °C |
| Degree of protection            | IP54              |

#### General

|       |      |
|-------|------|
| Color | gray |
|-------|------|

# Screw connection - WP-GT PP HF PG7 - 3241002

## Technical data

### General

|  |              |
|--|--------------|
| Type                                   | Rotatable    |
|  | Outer thread |
| Components                             | halogen-free |
| Flammability rating according to UL 94 | HB           |
| Material                               | PP           |

### Standards and Regulations

|  |     |
|--|-----|
| Halogen-free                           | yes |
| Flammability rating according to UL 94 | HB  |

### Environmental Product Compliance

|            |   |
|------------|---|
| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
|            | No hazardous substances above threshold values          |

## Classifications

### eCl@ss

|               |          |
|---------------|----------|
| eCl@ss 10.0.1 | 27144432 |
| eCl@ss 4.0    | 27141200 |
| eCl@ss 4.1    | 27141200 |
| eCl@ss 5.0    | 27149100 |
| eCl@ss 5.1    | 27141100 |
| eCl@ss 6.0    | 27149100 |
| eCl@ss 7.0    | 27149109 |
| eCl@ss 8.0    | 27149109 |
| eCl@ss 9.0    | 27144432 |

### ETIM

|          |          |
|----------|----------|
| ETIM 3.0 | EC000897 |
| ETIM 4.0 | EC001178 |
| ETIM 5.0 | EC001178 |
| ETIM 6.0 | EC000441 |
| ETIM 7.0 | EC000441 |

### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 30211812 |
| UNSPSC 7.0901 | 39121410 |
| UNSPSC 11     | 39121411 |
| UNSPSC 12.01  | 39121411 |

## Screw connection - WP-GT PP HF PG7 - 3241002

### Classifications

#### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 13.2 | 39121311 |
| UNSPSC 18.0 | 39121311 |
| UNSPSC 19.0 | 39121311 |
| UNSPSC 20.0 | 39121311 |
| UNSPSC 21.0 | 39121311 |

### Approvals

#### Approvals

---

Approvals

VDE Zeichengenehmigung

---

Ex Approvals

#### Approval details

VDE Zeichengenehmigung



<http://www2.vde.com/de/Institut/Online-Service/VDE-gepruefteProdukte/Seiten/Online-Suche.aspx>

### Accessories

#### Accessories

##### Corrugated pipe

Protective hose - WP-SPIRAL PVC C 10 - 3240849



Protective hose, spring steel wire with PVC coating, highly stranded

## Screw connection - WP-GT PP HF PG7 - 3241002

### Accessories

Protective hose - WP-SPIRAL PU C HF 10 - 3240856



Protective hose, spring steel wire with PU coating, highly stranded