

## Screw connection - WP-G BRASS IP40 M25 - 3241048


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Cable gland made from brass with metric thread, IP40 protection

RoHS

### Key Commercial Data

Packing unit	1 pc
Minimum order quantity	10 pc
GTIN	 4 046356 711845
GTIN	4046356711845
Weight per Piece (excluding packing)	76.000 g
Custom tariff number	74122000
Country of origin	Germany

### Technical data

#### Dimensions

Length (b)	41 mm
Width (a)	39 mm
Height (c)	41 mm
Wrench size	34 mm
Inner diameter (f)	20.5 mm
Outside diameter	27 mm
Cable diameter	21 mm

#### Ambient conditions

Ambient temperature (operation)	-40 °C ... 125 °C
Degree of protection	IP40

# Screw connection - WP-G BRASS IP40 M25 - 3241048

## Technical data

### General

Color	brass
Type	Straight
	Outer thread
Components	halogen-free
Material	Brass

### Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
------------	----------------

## Classifications

### eCl@ss

eCl@ss 10.0.1	27430310
eCl@ss 4.0	27141200
eCl@ss 4.1	27141200
eCl@ss 5.0	21132000
eCl@ss 5.1	21132000
eCl@ss 6.0	21132000
eCl@ss 7.0	27439203
eCl@ss 8.0	27439203
eCl@ss 9.0	27430310

### ETIM

ETIM 3.0	EC000519
ETIM 4.0	EC000519
ETIM 5.0	EC001180
ETIM 6.0	EC001180
ETIM 7.0	EC001180

### UNSPSC

UNSPSC 6.01	30211812
UNSPSC 7.0901	39121410
UNSPSC 11	39121411
UNSPSC 12.01	39121411
UNSPSC 13.2	40141734
UNSPSC 18.0	40141734
UNSPSC 19.0	40141734
UNSPSC 20.0	40141734

# Screw connection - WP-G BRASS IP40 M25 - 3241048

## Classifications

### UNSPSC

UNSPSC 21.0	40141734
-------------	----------

## Approvals

### Approvals

---

#### Approvals


VDE Zeichengenehmigung

---

Ex Approvals

---

## Approval details

VDE Zeichengenehmigung		<a href="http://www2.vde.com/de/Institut/Online-Service/VDE-gepruefteProdukte/Seiten/Online-Suche.aspx">http://www2.vde.com/de/Institut/Online-Service/VDE-gepruefteProdukte/Seiten/Online-Suche.aspx</a>
------------------------	--	---

## Accessories

### Accessories

#### Corrugated pipe

Protective hose - WP-STEEL ZC 27 - 3240866



Protective hose in galvanized steel

---

Protective hose - WP-STEEL S 27 - 3240864



Protective hose in stainless steel

---

## Mounting material

## Screw connection - WP-G BRASS IP40 M25 - 3241048

### Accessories

Protective hose fixing bracket - WP-BASE A M25 - 3241085



Fixing bracket for protective sleeves, fixed with two screws

---

---