

Flat gasket - WP-FS IP68 M16 - 3241161

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Flat gasket, height: 1.8 mm, diameter: 23 mm, color: black



Your advantages

- ✓ The Perbunan flat sealing rings are used to seal protective hose screw connections on uneven surfaces.
- ✓ Up to IP68 protection is achieved.

Key Commercial Data

| | |
|------------------------|---------------------|
| Packing unit | 1 pc |
| Minimum order quantity | 50 pc |
| GTIN | 4 046356 785679 |
| GTIN | 4046356785679 |
| Custom tariff number | 40169300 |
| Country of origin | Germany |

Technical data

Dimensions

| | |
|------------------------|--------|
| Height (c) | 1.8 mm |
| Diameter | 23 mm |
| Inner diameter (f) | 16 mm |
| Material thickness (g) | 1.8 mm |

Ambient conditions

| | |
|---------------------------------|-------------------|
| Ambient temperature (operation) | -20 °C ... 120 °C |
| Degree of protection | IP68 |

Flat gasket - WP-FS IP68 M16 - 3241161

Technical data

General

| | |
|------------|--------------------------------|
| Color | black |
| Components | free from silicone and halogen |
| Material | Perbunan |

Environmental Product Compliance

| | |
|------------|---|
| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
| | No hazardous substances above threshold values |

Classifications

eCl@ss

| | |
|---------------|----------|
| eCl@ss 10.0.1 | 27430319 |
| eCl@ss 4.0 | 27141200 |
| eCl@ss 4.1 | 27141200 |
| eCl@ss 5.0 | 21132000 |
| eCl@ss 5.1 | 21132000 |
| eCl@ss 6.0 | 21132000 |
| eCl@ss 7.0 | 27439218 |
| eCl@ss 8.0 | 27439218 |
| eCl@ss 9.0 | 27430319 |

ETIM

| | |
|----------|----------|
| ETIM 3.0 | EC000519 |
| ETIM 4.0 | EC000519 |
| ETIM 5.0 | EC001181 |
| ETIM 6.0 | EC001181 |
| ETIM 7.0 | EC001181 |

UNSPSC

| | |
|---------------|----------|
| UNSPSC 6.01 | 30211812 |
| UNSPSC 7.0901 | 39121410 |
| UNSPSC 11 | 39121411 |
| UNSPSC 12.01 | 39121411 |
| UNSPSC 13.2 | 39131608 |
| UNSPSC 18.0 | 39131608 |
| UNSPSC 19.0 | 39131608 |
| UNSPSC 20.0 | 39131608 |
| UNSPSC 21.0 | 39131608 |

