

Insert strip - ES-SSMK-GB 60X18 - 5032468


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Insert strip, Sheet, transparent/white, unlabeled, can be labeled with: Office printing systems, CMS-P1-PLOTTER, mounting type: insert, lettering field size: 56 x 14 mm, Number of individual labels: 75



RoHS

Key Commercial Data

Packing unit	1 pc
Minimum order quantity	10 pc
GTIN	 4 017918 095833
GTIN	4017918095833
Weight per Piece (excluding packing)	10.740 g
Custom tariff number	48025890
Country of origin	Germany

Technical data

Dimensions

Length (b)	60 mm
Width (a)	18 mm

Ambient conditions

Ambient temperature (operation)	-40 °C ... 115 °C
---------------------------------	-------------------

General

Note	Print image may vary depending on laser printer
Color	transparent/white
Base element material	Cardboard
Components	free from silicone and halogen

Insert strip - ES-SSMK-GB 60X18 - 5032468

Technical data

General

Flammability rating according to UL 94	V2
Number of individual labels	75
Number of individual labels per row	5
Marking mounting type	insert

Standards and Regulations

Flammability rating according to UL 94	V2
--	----

Classifications

eCl@ss

eCl@ss 10.0.1	27400629
eCl@ss 4.0	24190200
eCl@ss 4.1	24190200
eCl@ss 5.0	27149100
eCl@ss 5.1	27141100
eCl@ss 6.0	27149100
eCl@ss 7.0	27149129
eCl@ss 8.0	27149129
eCl@ss 9.0	27400629

ETIM

ETIM 2.0	EC000761
ETIM 3.0	EC000761
ETIM 4.0	EC000761
ETIM 5.0	EC001288
ETIM 6.0	EC001288
ETIM 7.0	EC001288

UNSPSC

UNSPSC 6.01	30211811
UNSPSC 7.0901	39121410
UNSPSC 11	39121410
UNSPSC 12.01	39121410
UNSPSC 13.2	39131504
UNSPSC 18.0	39131504
UNSPSC 19.0	39131504
UNSPSC 20.0	39131504

Insert strip - ES-SSMK-GB 60X18 - 5032468

Classifications

UNSPSC

UNSPSC 21.0	39131504
-------------	----------