


## Fixed bridge - FB-150 METER - 0201595

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Cross connection rail, for fixed bridging of identical inputs and outputs, made of Cu, nickel-plated, 1 m long

### Key Commercial Data

Packing unit	1 M
GTIN	 4 017918 098971
GTIN	4017918098971
Weight per Piece (excluding packing)	55.000 g
Custom tariff number	85369095
Country of origin	Germany

### Technical data

#### Technical data

Color	silver
Material	Copper
Pitch	31 mm
Maximum load current	41 A

### Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

## Fixed bridge - FB-150 METER - 0201595

### Classifications

#### eCl@ss

eCl@ss 10.0.1	27141190
eCl@ss 11.0	27141190
eCl@ss 4.0	27141100
eCl@ss 4.1	27141100
eCl@ss 5.0	27141100
eCl@ss 5.1	27141100
eCl@ss 6.0	27141100
eCl@ss 7.0	27141190
eCl@ss 9.0	27141190

#### ETIM

ETIM 2.0	EC000489
ETIM 3.0	EC000489
ETIM 4.0	EC000489
ETIM 6.0	EC002848
ETIM 7.0	EC002848

#### UNSPSC

UNSPSC 6.01	30211829
UNSPSC 7.0901	39121426
UNSPSC 11	39121426
UNSPSC 12.01	39121426
UNSPSC 13.2	39121410
UNSPSC 18.0	39121410
UNSPSC 19.0	39121410
UNSPSC 20.0	39121410
UNSPSC 21.0	39121410

### Accessories

#### Accessories

#### Mounting material

Screw - ZSR - 2303608



Screw

## Fixed bridge - FB-150 METER - 0201595

### Accessories

---

Screw - ZS-6 - 0201605



Screw

---

Screw - ZSR-EX - 0200017



Screw

---

---