


## Marker carriers - UBE/D N+C - 0803122

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Terminal strip marker carriers for marking terminal group, for mounting on the terminal strip NS 32 or NS 35/7.5, lettering field size: 44 x 7 mm



RoHS

### Key Commercial Data

Packing unit	1 pc
Minimum order quantity	10 pc
GTIN	 4 046356 959285
GTIN	4046356959285
Weight per Piece (excluding packing)	8.000 g
Custom tariff number	39269097
Country of origin	China

### Technical data

#### Dimensions

Length (b)	48.5 mm
Width (a)	11.6 mm
Height (c)	45.9 mm

#### Ambient conditions

Ambient temperature (operation)	-40 °C ... 100 °C
---------------------------------	-------------------

#### General

Color	gray
Base element material	PA
Components	free from silicone and halogen

# Marker carriers - UBE/D N+C - 0803122

## Technical data

### General

Material	PA
Marking mounting type	DIN rail mounting

### Standards and Regulations

Flammability rating according to UL 94	V0
--	----

## Classifications

### eCl@ss

eCl@ss 10.0.1	27144075
eCl@ss 11.0	27281105
eCl@ss 5.0	27141100
eCl@ss 5.1	27141100
eCl@ss 6.0	27149100
eCl@ss 7.0	27149153
eCl@ss 9.0	27144075

### ETIM

ETIM 6.0	EC002248
ETIM 7.0	EC002248

### UNSPSC

UNSPSC 13.2	39131505
UNSPSC 19.0	39131505

## Accessories

### Accessories

### Device marking

#### Snap-in markers - US-EMP (44X7) - 0829438



Snap-in markers, Card, white, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped into marker carrier, lettering field size: 44 x 7 mm, Number of individual labels: 40

### Labeled device marker

## Marker carriers - UBE/D N+C - 0803122

### Accessories

Snap-in markers - US-EMP (44X7) CUS - 0830048



Snap-in markers, can be ordered: by card, white, labeled according to customer specifications, mounting type: snapped into marker carrier, lettering field size: 44 x 7 mm