


## Zack marker strip - ZB 5/VT CUS - 0824974

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Zack marker strip, can be ordered: Strip, violet, labeled according to customer specifications, mounting type: snap into tall marker groove, for terminal block width: 5.2 mm, lettering field size: 5.15 x 10.5 mm, Number of individual labels: 10



### Key Commercial Data

|                      |   |
|----------------------|---|
| Packing unit         | 1 pc  |
| GTIN                 | <br>4 046356 357340 |
| GTIN                 | 4046356357340   |
| Custom tariff number | 49119900  |
| Country of origin    | Germany   |

### Technical data

#### Dimensions

|           |      |
|-----------|------|
| Width (a) | 5 mm |
|-----------|------|

#### Ambient conditions

|                                 |                   |
|---------------------------------|-------------------|
| Ambient temperature (operation) | -40 °C ... 100 °C |
|---------------------------------|-------------------|

#### General

|                             |                                |
|-----------------------------|--------------------------------|
| Color                       | violet                         |
| Type                        | high                           |
| Components                  | free from silicone and halogen |
| Material                    | PA                             |
| Wipe resistance             | DIN EN 61010-1 (VDE 0411-1)    |
|                             | DIN VDE 0611                   |
| Number of individual labels | 10                             |

# Zack marker strip - ZB 5/VT CUS - 0824974

## Technical data

### General

|                                     |                              |
|-------------------------------------|------------------------------|
| Number of individual labels per row | 10                           |
| Number of marker strips             | 10                           |
| Marking mounting type               | snap into tall marker groove |

### Standards and Regulations


|  |    |
|--|----|
| Flammability rating according to UL 94 | V2 |
|--|----|

### Environmental Product Compliance

|            |   |
|------------|---|
| China RoHS | For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration" |
|------------|---|

## Drawings

Schematic diagram



- ① Horizontal
- ② Vertical

## Classifications

### eCl@ss

|               |          |
|---------------|----------|
| eCl@ss 10.0.1 | 27141137 |
| eCl@ss 11.0   | 27281101 |
| eCl@ss 4.0    | 24190200 |
| eCl@ss 4.1    | 24190200 |
| eCl@ss 5.0    | 27141100 |
| eCl@ss 5.1    | 27141100 |
| eCl@ss 6.0    | 27141100 |
| eCl@ss 7.0    | 27141137 |
| eCl@ss 9.0    | 27141137 |

## Zack marker strip - ZB 5/VT CUS - 0824974

### Classifications

#### ETIM

|          |          |
|----------|----------|
| ETIM 3.0 | EC000761 |
| ETIM 4.0 | EC000761 |
| ETIM 6.0 | EC000761 |
| ETIM 7.0 | EC000761 |

#### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 30211811 |
| UNSPSC 7.0901 | 39121410 |
| UNSPSC 11     | 39121410 |
| UNSPSC 12.01  | 39121410 |
| UNSPSC 13.2   | 39131505 |
| UNSPSC 18.0   | 39131505 |
| UNSPSC 19.0   | 39131505 |
| UNSPSC 20.0   | 39131505 |
| UNSPSC 21.0   | 39131505 |