

Cable marker carrier - KMK HP (29X8) - 0830721

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Cable marker carrier, transparent, unlabeled, mounting type: Assembly with cable binders, cable diameter: ≥ 6 mm, lettering field size: 29 x 8 mm




Your advantages

- Plastic cable markers for insert labels, for assembly with cable binders
- Plastic cable markers for marking and bundling conductors and cables indoors
- The markers have eyelets and are attached with cable binders
- The marked insert label is protected from dirt by the sealing cap



Key Commercial Data

Packing unit	1 pc
Minimum order quantity	100 pc
GTIN	 4 046356 725798
GTIN	4046356725798
Weight per Piece (excluding packing)	2.000 g
Custom tariff number	39269097
Country of origin	Germany

Technical data

Dimensions

Length (b)	29 mm
Width (a)	8 mm
Height (c)	29 mm

Ambient conditions

Cable marker carrier - KMK HP (29X8) - 0830721

Technical data

Ambient conditions

Ambient temperature (operation)	-40 °C ... 125 °C
Ambient temperature (assembly)	-40 °C

General

Color	transparent
Type	Mounting set
Components	halogen-free
Material	PC (polycarbonate)
Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
Marking mounting type	Assembly with cable binders
R22	HL 3
R24	HL 3

Standards and Regulations

Flammability rating according to UL 94	V0
--	----

Classifications

eCl@ss

eCl@ss 10.0.1	27400401
eCl@ss 11.0	27281102
eCl@ss 4.0	27061700
eCl@ss 4.1	27061700
eCl@ss 5.0	27400400
eCl@ss 5.1	27400400
eCl@ss 6.0	27149100
eCl@ss 7.0	27149153
eCl@ss 9.0	27400401

ETIM

ETIM 3.0	EC000761
ETIM 4.0	EC001530
ETIM 6.0	EC001530
ETIM 7.0	EC001530

UNSPSC

UNSPSC 6.01	30211811
UNSPSC 7.0901	39121410
UNSPSC 11	39121410

Cable marker carrier - KMK HP (29X8) - 0830721

Classifications

UNSPSC

UNSPSC 12.01	39121410
UNSPSC 13.2	39131504
UNSPSC 18.0	39131504
UNSPSC 19.0	39131504
UNSPSC 20.0	39131504
UNSPSC 21.0	39131504

Accessories

Accessories

Cable tie

Cable tie - WT-HP HF 3,6X140 - 0830982



Cable binders for quick and secure bundling, standard version

Cable tie - WT-HP HF 4,8X200 - 0830983



Cable binders for quick and secure bundling, standard version

Cable tie - WT-HP HF 4,5X290 - 0830984



Cable binders for quick and secure bundling, standard version

Cable marker carrier - KMK HP (29X8) - 0830721

Accessories

Cable tie - WT-HT HF 3,6X140 - 3240782



Cable binders for quick and secure bundling, heat stabilized to 125°C (also up to 145°C for brief periods)

Cable tie - WT-HT HF 3,6X200 - 3240784



Cable binders for quick and secure bundling, heat stabilized to 125°C (also up to 145°C for brief periods)

Cable tie - WT-HT HF 4,5X200 - 3240786



Cable binders for quick and secure bundling, heat stabilized to 125°C (also up to 145°C for brief periods)

Cable tie - WT-HT HF 4,5X290 - 3240788



Cable binders for quick and secure bundling, heat stabilized to 125°C (also up to 145°C for brief periods)

Cable tie - WT-HT HF 3,6X140 BK - 3240783



Cable binders for quick and secure bundling, heat stabilized to 125°C (also up to 145°C for brief periods)

Cable marker carrier - KMK HP (29X8) - 0830721

Accessories

Cable tie - WT-HT HF 3,6X200 BK - 3240785



Cable binders for quick and secure bundling, heat stabilized to 125°C (also up to 145°C for brief periods)

Cable tie - WT-HT HF 4,5X200 BK - 3240787



Cable binders for quick and secure bundling, heat stabilized to 125°C (also up to 145°C for brief periods)

Cable tie - WT-HT HF 4,5X290 BK - 3240789



Cable binders for quick and secure bundling, heat stabilized to 125°C (also up to 145°C for brief periods)

Conductor marking

Insert label - EMT (29X8)R - 0817277



Insert label, Roll, white, unlabeled, can be labeled with: THERMOMARK ROLLMASTER 300/600, THERMOMARK X1.2, THERMOMARK ROLL X1, THERMOMARK ROLL 2.0, THERMOMARK ROLL, mounting type: insert, cable diameter range: 10 ... 25 mm, lettering field size: 29 x 8 mm, Number of individual labels: 5400

Insert label - EMT (29X8)R YE - 0817280



Insert label, Roll, yellow, unlabeled, can be labeled with: THERMOMARK ROLLMASTER 300/600, THERMOMARK X1.2, THERMOMARK ROLL X1, THERMOMARK ROLL 2.0, THERMOMARK ROLL, mounting type: insert, cable diameter range: 10 ... 25 mm, lettering field size: 29 x 8 mm, Number of individual labels: 5400

Cable marker carrier - KMK HP (29X8) - 0830721

Accessories

Device marking

Snap-in markers - US-EMP (29X8) - 0829436



Snap-in markers, Card, white, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped into marker carrier, lettering field size: 29 x 8 mm, Number of individual labels: 48

Snap-in markers - US-EMP (29X8) YE - 0829440



Snap-in markers, Card, yellow, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped into marker carrier, lettering field size: 29 x 8 mm, Number of individual labels: 48

Insert label - MM-EMT (EX8)R C1 WH/BK - 0803965



Insert label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snapped into marker carrier, lettering field size: continuous x 8 mm

Labeled conductor marker

Insert label - EMT (29X8)R CUS - 0824383



Insert label, can be ordered: by line, white, labeled according to customer specifications, mounting type: insert, cable diameter range: 10 ... 25 mm, lettering field size: 29 x 8 mm

Labeled terminal marker

Cable marker carrier - KMK HP (29X8) - 0830721

Accessories

Insert strip - ESL 29X8 CUS - 0824401



Insert strip, can be ordered: Sheet, white, labeled according to customer specifications, mounting type: insert, lettering field size: 29 x 8 mm

Terminal marking

Insert strip - ESL 29X8 - 0808257



Insert strip, Sheet, white, unlabeled, can be labeled with: Office printing systems: Laser printer, perforated, mounting type: insert, lettering field size: 29 x 8 mm, Number of individual labels: 174

Insert strip - ESL 29X8 YE - 0811930



Insert strip, Sheet, yellow, unlabeled, can be labeled with: Office printing systems: Laser printer, mounting type: insert, lettering field size: 29 x 8 mm, Number of individual labels: 174

Marker for terminal blocks - TMT (EX8)R - 0803066



Marker for terminal blocks, Roll, white, unlabeled, can be labeled with: THERMOMARK ROLL 2.0, THERMOMARK ROLL, THERMOMARK ROLL X1, THERMOMARK ROLLMASTER 300/600, THERMOMARK X1.2, mounting type: snap into universal marker groove, snap into flat marker groove, for terminal block width: 50000 mm, lettering field size: 8 x 50,000 mm, Number of individual labels: 1