



busbar adapter Size S2, for mechanical attachment of circuit breaker and soft starter 3RV2 and 3RW303/3RW403 Can be snapped onto standard mounting rail or for screw mounting (individual unit packaging)

General technical data:

Product brand name		SIRIUS
Product designation		mounting rail adapter
Design of the product		for mechanical attachment of circuit breakers and soft starters
Size of the circuit-breaker		S2
Size of contactor		S2

Installation/ mounting/ dimensions:

Mounting type		screw and snap-on mounting onto 35 mm standard mounting rail
Width	mm	55
Height	mm	324
Depth	mm	27.8

Certificates/ approvals:

Certificate of suitability		CE / UL
----------------------------	--	---------

General Product Ap- proval	Declaration of Conformity	Shipping Approval	other
----------------------------------	---------------------------	-------------------	-------



Miscellaneous



Confirmation

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)

<http://www.siemens.com/industrymall>

Cax online generator


<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RA2932-1CA00>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3RA2932-1CA00>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RA2932-1CA00&lang=en



last modified:

09/24/2019